

ARCHITECTURAL DESIGN REVIEW

For submission with development proposals in the City's Tourist Area

Property Owner:
Property Address:
Architect:
Application Number:
Date:

Please describe in detail how the development complies with the following design objectives. Where the proposed design deviates from the objective please describe treatments proposed to mitigate the impact or to compensate for the design variance. Proponents should reference the Tourism Policy Review and Implementation handbook for further guidelines.





PRINCIPLE 1 - POSITIVE BASE BUILDING PRINCIPLE

Achieve a positive base interface between vertical building and street elements through built to lines, setbacks, edge treatments, weather protection, transparency, proportion and scale.

DESIGN OBJECTIVES		
Podiums that occupy 75% of le	ot frontage to	provide a well defined street edge.
Has this objective been met?	□Yes	□No
		to provide a continuous build form with adjacent developments
on the same or neighbouring b		
Has this objective been met?	□Yes	□No
A clearly defined building base public (i.e. retail stores, restau		m level that is designed to animate the street and engage the s, lobbies, etc.)
Has this objective been met?	□Yes	□No
Weather protected canopies a scale, sidewalk width and over		s incorporated along street frontages that respect pedestrian e building.
Has this objective been met?	□Yes	□No
Architectural features (includin adjacent buildings.	g cornice ban	nds, balconies, etc.) that complement the architectural form of
Has this objective been met?	□Yes	□No



Mid-block connections through or around buildings with weather protection and active pedestrian facilities that are integrated with public pedestrian systems and transit services.		
Has this objective been met?	□Yes	□No
Drop-off areas for pedestrian and development.	d vehicles tha	t are integrated with the architectural functionality of the
Has this objective been met?	□Yes	□No
In the case of above grade parki	ng structures,	active uses (retail, etc.) are incorporated.
Has this objective been met?	□Yes	□No



PRINCIPLE 2 - PUBLIC REALM AT GRADE PRINCIPLE

Achieve an upgraded pedestrian environment through high quality streetscape, planting and furniture, and signage.

services.
corridor
corridor
tainable
al or



PRINCIPLE 3 - THE SKY VIEW PRINCIPLE

Maximize sky, light and air transparency by building buildings with adequate spacing and mass, and mitigate shadow and blocking light and air penetration—avoid a feeling of a wall of development. It is the view of the composition of the buildings from all sides.

DESIGN OBJECTIVES		
Tower placements situated to	ensure maxin	num sunlight and sky view between them.
Has this objective been met?	□Yes	□No
A diversity of building heights	along the dev	relopment block is created.
Has this objective been met?	□Yes	□No
Towers are setback above the	e building base	e/podium level.
Has this objective been met?	□Yes	□No
A separation distance of 25m lines.	between towe	ers on the same lot and 12.5m between towers and side lot
Has this objective been met?	□Yes	□No
The building footprint above p exceed 1: 1.5.	odium does no	ot exceed 1,000m ² (10,000ft ²) and width to depth ratio does not
Has this objective been met?	□Yes	□No



No mirrored walls.		
Has this objective been met?	□Yes	□No
Building form has clearly define on all sides.	ed building ba	ases, tower shafts and roof treatments with appropriate desig
Has this objective been met?	□Yes	□No
_	and use of a	rchitectural materials produces the effect of point towers.
Has this objective been met?	□Yes	□No



PRINCIPLE 4 - SKYLINE HEIGHT PRINCIPLE

The taller the building, the more slender it should be. A diversity in heights should be provided as long as it is shaped or located in a way that warrants the height.

DESIGN OBJECTIVES			
Clearly defined roof features a	re incorporat	ed to enhance the skyline.	
Has this objective been met?	□Yes	□No	
Towers run perpendicular to th	e escarpmer	nt edge to avoid a wall effect.	
Has this objective been met?	□Yes	□No	
A gradation of height down tow	ards the esc	arpment and Queen Victoria Park.	
Has this objective been met?	□Yes	□No	
A gradation of height down tow	ards the res	dential community.	
Has this objective been met?	□Yes	□No	
A view corridor within 300m rad	=		
Has this objective been met?	□Yes	□No	



PRINCIPLE 5 - NIAGARA FALLS VIEWS AND VISTAS PRINCIPLE

Enhance the visual connections to the features of the Falls and across border and other environmental amenities. Avoid obstructing the valuable views and creating new ones.

DESIGN OBJECTIVES			
features.	signed to ma	intain the views and exposures to natural and mar	n made
Has this objective been met?	□Yes	□No	
The building design enhances v	iews to and	from the Niagara River and Falls.	
Has this objective been met?	□Yes	□No	
Visible extensions of landscape park-in-the-city effect.	themes from	n Queen Victoria Park up to the escarpment create	a
Has this objective been met?	□Yes	□No	



PRINCIPLE 6 - POSITIVE MICROCLIMATE PRINCIPLE

Implement design measures that will maximize comfort, enjoyment of the public realm, and minimize impacts on adjacent properties through shadow, wind and snow. Consider pedestrian criteria for sitting, standing and walking.

DESIGN OBJECTIVES		
Protection of the microclimate o scale and mass of the building.	f the public r	ealm and open space from potential impacts generated by the
Has this objective been met?	□Yes	□No
Impacts of wind/shadows are mlandscaping.	nitigated thro	ugh design at both the micro and macro scale rather than
Has this objective been met?	□Yes	□No
		ains on the pedestrian corridor, open space areas, entry
corridors, retail and Falls acces <i>Has this objective been met?</i>	s streets. 3 l □Yes	nours elsewhere. □No
Mist dispersion over the Falls is	: avoided/mit	tigated through building design.
Has this objective been met?	□Yes	



PRINCIPLE 7 - PARKING AND CIRCULATION

Allow less intrusive parking solutions that increase the convenience of the Tourist district; and implement services that reduce automobile circulation at and around the Falls and Queen Victoria Park.

DESIGN OBJECTIVES		
Required parking is provided on	site.	
Has this objective been met?	□Yes	□No
Parking is provided in structured	d lots or under	ground.
Has this objective been met?	□Yes	□No
Retail/Active uses along street f	rontage of par	king structures.
Has this objective been met?	□Yes	□No
Surface parking is divided and o	dispersed by la	andscaped strips and modules.
Has this objective been met?	□Yes	□No