

ARCHITECTURAL DESIGN REVIEW

For submission with development proposals in the City's Tourist Area

Property Owner:

Property Address:

Architect:

Application Number:

Date:

Please describe in detail how the development complies with the following design objectives. Where the proposed design deviates from the objective please describe treatments proposed to mitigate the impact or to compensate for the design variance. Proponents should reference the Tourism Policy Review and Implementation handbook for further guidelines.





PRINCIPLE 1 - POSITIVE BASE BUILDING PRINCIPLE

Achieve a positive base interface between vertical building and street elements through built to lines, setbacks, edge treatments, weather protection, transparency, proportion and scale.

DESIGN OBJECTIVES

A clearly defined street wall at podium level to provide a continuous build form with adjacent developments on the same or neighbouring blocks (except for driveways). *Has this objective been met?* DYes DNo

A clearly defined building base at the podium level that is designed to animate the street and engage the public (i.e. retail stores, restaurants, galleries, lobbies, etc.) Has this objective been met? □Yes □No

Weather protected canopies and colonnades incorporated along street frontages that respect pedestrian scale, sidewalk width and overall scale of the building. *Has this objective been met*?

Architectural features (in	ncluding cornice	bands, balconies,	, etc.) that complement the architect	ural form of
adjacent buildings.				
Has this objective been m	net? □Yes	□No		



Mid-block connections through or around buildings with weather protection and active pedestrian facilities that are integrated with public pedestrian systems and transit services. *Has this objective been met?*

Drop-off areas for pedestrian and vehicles that are integrated with the architectural functionality of the development.

In the case of above grade parking structures, active uses (retail, etc.) are incorporated. *Has this objective been met?*



PRINCIPLE 2 - PUBLIC REALM AT GRADE PRINCIPLE

Achieve an upgraded pedestrian environment through high quality streetscape, planting and furniture, and signage.

DESIGN OBJECTIVES		
Consistency with the Streetsca	ape Master Pl	an achieved.
Has this objective been met?	□Yes	□No
Private development streetsca	pe improvem	ents tied into the public pedestrian system and transit services.
Has this objective been met?	□Yes	□No
The built form of development to encourage the presence of		designed to engage the pedestrian and transportation corridor ense of place.
Has this objective been met?	□Yes	□No
Wider sidewalks and active pu Transportation Master Plan ac		described in the Streetscape Master Plan and the Sustainable
Has this objective been met?	□Yes	□No
Pedestrian and open space lin visual).	kages provid	ed between the site and Queen Victoria Park (physical or
Has this objective been met?	□Yes	□No



PRINCIPLE 3 - THE SKY VIEW PRINCIPLE

Maximize sky, light and air transparency by building buildings with adequate spacing and mass, and mitigate shadow and blocking light and air penetration—avoid a feeling of a wall of development. It is the view of the composition of the buildings from all sides.

DESIGN OBJECTIVES		
Tower placements situated to	ensure maxir	num sunlight and sky view between them.
Has this objective been met?	□Yes	□No
A diversity of building heights	along the dev	elopment block is created.
Has this objective been met?	⊡Yes	□No
Towers are setback above the	building base	e/podium level.
Has this objective been met?	□Yes	□No
A separation distance of 25m	hetween towa	ers on the same lot and 12.5m between towers and side lot
lines.		is on the same lot and 12.5m between towers and side lot
Has this objective been met?	□Yes	□No
The building footprint above po exceed 1: 1.5.	odium does n	ot exceed 1,000m ² (10,000ft ²) and width to depth ratio does not
Has this objective been met?	□Yes	□No



No mirrored walls.		
Has this objective been met?	□Yes	□No

Building form has clearly defined building bases, tower shafts and roof treatments with appropriate design on all sides.

Changes in dimensional width an	nd use of ar	chitectural	materials p	oroduces t	the effect of	point towers.
Has this objective been met?	□Yes	□No				



PRINCIPLE 4 - SKYLINE HEIGHT PRINCIPLE

The taller the building, the more slender it should be. A diversity in heights should be provided as long as it is shaped or located in a way that warrants the height.

DESIGN OBJECTIVES			
Clearly defined roof features ar	e incorporate	ed to enhance the skyline.	
Has this objective been met?	□Yes	□No	
Towers run perpendicular to the Has this objective been met?	e escarpmen ⊡Yes	t edge to avoid a wall effect. □No	
A gradation of height down tow <i>Has this objective been met?</i>	ards the esc □Yes	arpment and Queen Victoria Park. □No	
A gradation of height down tow <i>Has this objective been met?</i>	ards the resi □Yes	dential community. □No	
A view corridor within 300m rac Has this objective been met?	lius of Skyloi ⊡Yes	n Tower is to be retained. □No	



PRINCIPLE 5 – NIAGARA FALLS VIEWS AND VISTAS PRINCIPLE

Enhance the visual connections to the features of the Falls and across border and other environmental amenities. Avoid obstructing the valuable views and creating new ones.

DESIGN OBJECTIVES

Massing and building size is designed to maintain the views and exposures to natural and man made features.

Has this ob	jective been met?	□Yes	□No

The building design enhances views to and from the Niagara River and Falls. *Has this objective been met*? \Box Yes \Box No



PRINCIPLE 6 – POSITIVE MICROCLIMATE PRINCIPLE

Implement design measures that will maximize comfort, enjoyment of the public realm, and minimize impacts on adjacent properties through shadow, wind and snow. Consider pedestrian criteria for sitting, standing and walking.

DESIGN OBJECTIVES

Protection of the microclimate of the public realm and open space from potential impacts generated by the scale and mass of the building.

Has this objective been met?	□Yes	□No
------------------------------	------	-----

Impacts of wind/shadows are mitigated through design at both the micro and macro scale rather than landscaping.

5 hours of sunlight on September 21st remains on the pedestrian corridor, open space areas, entry corridors, retail and Falls access streets. 3 hours elsewhere.

Has this objective been met?	□Yes	□No
------------------------------	------	-----

Mist dispersion over the Falls	is avoided/mit	igated throuູ	gh building design.
Has this objective been met?	□Yes	□No	



PRINCIPLE 7 – PARKING AND CIRCULATION

Allow less intrusive parking solutions that increase the convenience of the Tourist district; and implement services that reduce automobile circulation at and around the Falls and Queen Victoria Park.

DESIGN OBJECTIVES			
Required parking is provided o	on site.		
Has this objective been met?	□Yes	□No	
Parking is provided in structure	ed lots or und	lerground.	
Has this objective been met?	□Yes	□No	
Retail/Active uses along street	frontage of p	parking structures.	
Has this objective been met?	⊡Yes	□No	
Curface parties is divided and	dispersed by		
		/ landscaped strips and modules.	
Has this objective been met?	□Yes	□No	