

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2019-475-19

2019 ROAD REHABILITATION & SIDEWALK REPLACEMENT

| ITEM NO. | SPEC NO. | DESCRIPTION | ESTIMATED QUANTITY | UNIT | UNIT PRICE | TOTAL PRICE |
|----------------------------|----------|---|--------------------|----------------|------------|-------------|
| SECTION 'B' - ROADS | | | | | | |
| B2 | SPCS | Earth Excavation <i>Includes sawcutting and disposal of surplus or unsuitable excavated materials</i> | | | | |
| | | b) Asphalt Material (any thickness) | 100 | m ² | \$ _____ | \$ _____ |
| | | c) Concrete Driveways and Sidewalks (any thickness) | 100 | m ² | \$ _____ | \$ _____ |
| | | d) Curb and/or Curb & Gutter (any type) | 250 | m | \$ _____ | \$ _____ |
| | | e) Interlocking Brick or Concrete Pavers | 50 | m ² | \$ _____ | \$ _____ |
| B3 | SPCS | Granular Material | | | | |
| | | a) Granular 'A' | | | | |
| | | i. Roads (Various purposes) | 1,100 | t | \$ _____ | \$ _____ |
| | | c) Granular 'M' | | | | |
| | | i. Shoulder Restoration | 20 | t | \$ _____ | \$ _____ |
| B6 | SPCS | Subdrain Perforated HDPE Pipe c/w Filter Cloth <i>(Includes 'Coring of' and 'Connection to' existing structures, where required)</i> | | | | |
| | | b) 150mm Dia. | 1100 | m | \$ _____ | \$ _____ |
| | | c) 200mm Dia. | 25 | m | \$ _____ | \$ _____ |
| B8 | SPCS | Concrete Curb and Gutter | | | | |
| | | e) Curb Restoration DWG.NFS-BO3 - Any Type | 250 | m | \$ _____ | \$ _____ |
| | | i) 15M Reinforcing Dowel Bar | 250 | each | \$ _____ | \$ _____ |
| | | f) Curb Restoration at CB or DCB including 15M Reinforcing Bars (NFS-BO3) | 30 | m | \$ _____ | \$ _____ |
| | | h) Private Curb - Any Type (to match existing) | 10 | m | \$ _____ | \$ _____ |
| B11 | SPCS | Asphalt Milling <i>Includes delivery of millings to City's Service Centre</i> | | | | |
| | | b) Full depth milling for base repairs, Full pavement replacement | 6000 | m ² | \$ _____ | \$ _____ |
| B13 | SPCS | Adjustment of Appurtenances | | | | |
| | | a) Existing Catchbasin/Ditch Inlet Frame & Grate | | | | |
| | | i. < 300mm | 4 | each | \$ _____ | \$ _____ |
| | | ii. 300mm - 450mm | 1 | each | \$ _____ | \$ _____ |
| | | iii. Rebuild CB/DI | 1 | each | \$ _____ | \$ _____ |
| | | b) Existing Maintenance Hole/Valve Chamber Frame & Cover | | | | |
| | | i. < 300mm | 14 | each | \$ _____ | \$ _____ |
| | | ii. 300mm - 450mm | 1 | each | \$ _____ | \$ _____ |
| | | iii. Rebuild MH | 1 | each | \$ _____ | \$ _____ |
| | | c) Existing Valve/Curb Boxes | 12 | each | \$ _____ | \$ _____ |
| | | d) Replace Existing Catchbasin/Ditch Inlet Frame & Grate | | | | |
| | | i. Cast Iron Square Frame w/Dished Herring Bone Openings (OPSD 400.01) - Woodington St. | 10 | each | \$ _____ | \$ _____ |
| | | e) Replace Existing Maintenance Hole/Valve Chamber Frame & Cover | | | | |
| | | i. Cast Iron Square Frame w/ Circular Cover (OPSD 401.01) | 2 | each | \$ _____ | \$ _____ |

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2019-475-19

2019 ROAD REHABILITATION & SIDEWALK REPLACEMENT

| ITEM NO. | SPEC NO. | DESCRIPTION | ESTIMATED QUANTITY | UNIT | UNIT PRICE | TOTAL PRICE |
|----------|----------|---|--------------------|----------------|------------|-------------|
| B14 | SPCS | Supply & Place Hot Mix Asphalt | | | | |
| | | a) Roadways | | | | |
| | | i. HL3 HS Surface Course - 40mm Thick | 500 | t | \$ _____ | \$ _____ |
| | | ii. HL8 HS Base Course - 50mm Thick | 600 | t | \$ _____ | \$ _____ |
| B14 | SPCS | b) Residential Driveways | | | | |
| | | i. HL3F - 50mm Thickness | 80 | t | \$ _____ | \$ _____ |
| B15 | SPCS | Asphalt Walkways and Driveways <i>For Preparation, Handwork & Granular 'A'</i> | | | | |
| | | a) Residential Driveway | 150 | m ² | \$ _____ | \$ _____ |
| B16 | SPCS | Concrete Pavement and Driveways <i>Includes 32MPa Concrete, Preparation, Handwork & Granular 'A'</i> | | | | |
| | | a) Residential Driveway | 100 | m ² | \$ _____ | \$ _____ |
| B17 | SPCS | Adjust Paving Stone Driveway <i>On 300mm Granular 'A' & 50mm Limestone Screening Base</i> <i>Includes Preparation, Handwork, Limestone Screenings & Granular 'A'</i> | | | | |
| | | a) Interlocking Paving Stone Driveway | 20 | m ² | \$ _____ | \$ _____ |
| | | d) Interlocking Paving Stone Walkway | 5 | m ² | \$ _____ | \$ _____ |
| | | e) Additional Interlock Paving Stones (<i>to be supplied as required</i>) | 10 | m ² | \$ _____ | \$ _____ |
| B18 | SPCS | Granular Driveways <i>For Preparation, Handwork & Granular 'A'</i> | | | | |
| | | a) Granular 'A' i. Residential Driveway - 200mm Depth | 10 | m ² | \$ _____ | \$ _____ |
| B21 | SPCS | Topsoil and Sod <i>Includes any grading necessary to provide positive drainage, excavation and disposal of unsuitable materials</i> | | | | |
| | | a) 100mm Topsoil & Sod | 300 | m ² | \$ _____ | \$ _____ |
| B29 | B29 | Wire Mesh | 5 | m ² | \$ _____ | \$ _____ |
| B30 | SPSC | Base Repairs - General | 600 | m3 | \$ _____ | \$ _____ |
| B40 | SPCS | Fine Grading and Compaction | 5000 | m ² | \$ _____ | \$ _____ |

TOTAL SECTION 'B' - ROADS \$ _____

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2019-475-19

2019 ROAD REHABILITATION & SIDEWALK REPLACEMENT

| ITEM NO. | SPEC NO. | DESCRIPTION | ESTIMATED QUANTITY | UNIT | UNIT PRICE | TOTAL PRICE |
|---------------------------------|----------|---|--------------------|----------------------------------|----------------------|----------------------|
| SECTION 'B2' - SIDEWALKS | | | | | | |
| B2 | SPCS | Earth Excavation <i>Includes sawcutting and disposal of surplus or unsuitable excavated materials</i> | | | | |
| | | b) Asphalt Material (any thickness) | 220 | m ² | \$ _____ | \$ _____ |
| | | c) Concrete Driveways and Sidewalks (any thickness) | 3580 | m ² | \$ _____ | \$ _____ |
| | | d) Curb and/or Curb & Gutter (any type) | 50 | m | \$ _____ | \$ _____ |
| | | e) Interlocking Brick or Concrete Pavers | 50 | m ² | \$ _____ | \$ _____ |
| B3 | SPCS | Granular Material | | | | |
| | | a) Granular 'A' i. Roads (Various purposes) | 1,100 | t | \$ _____ | \$ _____ |
| B8 | SPCS | Concrete Curb and Gutter | | | | |
| | | f) Curb Restoration at CB or DCB including 15M Reinforcing Bars (NFS-BO3) g) Private Curb - Any Type (to match existing) | 25 25 | m m | \$ _____ \$ _____ | \$ _____ \$ _____ |
| B9 | SPCS | Concrete Sidewalks <i>Includes 32MPa Concrete, Preparation, Handwork & Granular 'A'</i> | | | | |
| | | a) Standard - 125mm Thickness (OPSD 310.010) g) Private Sidewalk - Any Type (to match existing) | 3900 25 | m ² m ² | \$ _____ \$ _____ | \$ _____ \$ _____ |
| B13 | SPCS | Adjustment of Appurtenances c) Existing Valve/Curb Boxes | 5 | each | \$ _____ | \$ _____ |
| B14 | SPCS | Supply & Place Hot Mix Asphalt | | | | |
| | | b) Residential Driveways i. HL3F - 50mm Thickness | 50 | t | \$ _____ | \$ _____ |
| B15 | SPCS | Asphalt Walkways and Driveways <i>For Preparation, Handwork & Granular 'A'</i> | | | | |
| | | a) Residential Driveway | 220 | m ² | \$ _____ | \$ _____ |
| B16 | SPCS | Concrete Pavement and Driveways <i>Includes 32MPa Concrete, Preparation, Handwork & Granular 'A'</i> | | | | |
| | | a) Residential Driveway | 450 | m ² | \$ _____ | \$ _____ |
| B17 | SPCS | Adjust Paving Stone Driveway <i>On 300mm Granular 'A' & 50mm Limestone Screening Base Includes Preparation, Handwork, Granular 'A' and Limestone Screenings</i> | | | | |
| | | a) Interlocking Paving Stone Driveway | 125 | m ² | \$ _____ | \$ _____ |
| | | d) Interlocking Paving Stone Walkway | 5 | m ² | \$ _____ | \$ _____ |
| | | e) Additional Interlock Paving Stones (<i>to be supplied as required</i>) | 5 | m ² | \$ _____ | \$ _____ |
| B18 | SPCS | Granular Driveways <i>For Preparation, Handwork & Granular 'A'</i> | | | | |
| | | a) Granular 'A' i. Residential Driveway - 200mm Depth | 25 | m ² | \$ _____ | \$ _____ |
| B21 | SPCS | Topsoil and Sod <i>Includes any grading necessary to provide positive drainage, excavation and disposal of unsuitable materials</i> | | | | |
| | | a) 100mm Topsoil & Sod | 3150 | m ² | \$ _____ | \$ _____ |
| B29 | B29 | Wire Mesh | 5 | m ² | \$ _____ | \$ _____ |
| B34 | B34 | Tactile Warning Surfaces | | | | |
| | | a) Straight Plates (610mm x 610mm) b) Radius Plates (610mm)- Any Radius | 52 1 | each each | \$ _____ \$ _____ | \$ _____ \$ _____ |

TOTAL SECTION 'B2' - SIDEWALKS \$

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2019-475-19

2019 ROAD REHABILITATION & SIDEWALK REPLACEMENT

| ITEM NO. | SPEC NO. | DESCRIPTION | ESTIMATED QUANTITY | UNIT | UNIT PRICE | TOTAL PRICE |
|--|----------|---|--------------------|----------------|------------|-------------|
| SECTION 'P' - PROVISIONAL ITEMS | | | | | | |
| B1 | SPCS | Test Pits | | | | |
| | | a) Depth up to 0.5m | 1 | each | \$ _____ | \$ _____ |
| | | b) Depth up to 1.0m | 1 | each | \$ _____ | \$ _____ |
| | | e) Via Hydro Vac. (<i>Any Depth</i>) | 1 | Hour | \$ _____ | \$ _____ |
| B10 | SPCS | Sawcutting | 20 | m | \$ _____ | \$ _____ |
| B23 | B23 | Supply and Apply Calcium Chloride | 3 | t | \$ _____ | \$ _____ |
| B24 | SPCS | Application of Water for Dust Control | 25 | m ³ | \$ _____ | \$ _____ |
| B38 | SPCS | Surveying of existing and proposed grades | 5 | Hour | \$ _____ | \$ _____ |
| B41 | SPCS | Timber Retaining Walls and Curbs | 5 | m | \$ _____ | \$ _____ |
| P1 | SPCS | 32 MPa Concrete | 5 | m ² | \$ _____ | \$ _____ |
| P2 | SPCS | Remobilization to site after crew has permanently left work area | 1 | each | \$ _____ | \$ _____ |
| P4 | SPCS | Unshrinkable Fill | 5 | m ³ | \$ _____ | \$ _____ |
| P5 | SPCS | 19 mm Clear Stone | 5 | t | \$ _____ | \$ _____ |
| P6 | SPCS | Curb Boxes - repair all types | 3 | each | \$ _____ | \$ _____ |

TOTAL SECTION 'P' - PROVISIONAL \$ _____