

FORM OF TENDER

FORM OF TENDER

I N D E X

| DESCRIPTION | PAGE |
|--|-------------|
| 1. FORM OF TENDER | 1 |
| 2. SCHEDULE OF QUANTITIES & UNIT PRICES | 4 |
| 3. TENDER SUMMARY | 5 |
| 4. UNIT PRICES (PROVISIONAL)..... | 6 |
| 5. TENDERER’S EXPERIENCE IN SIMILAR WORK..... | 8 |
| 6. HARMONIZED SALES TAX | 9 |
| 7. CONFIRMATION FORM | 10 |
| 8. ACCESSIBILITY REGULATIONS FOR CONTRACTED SERVICES..... | 10 |
| 9. LIST OF SUB-CONTRACTORS | 11 |

FORM OF TENDER

We, the undersigned Contractor(s) have carefully examined the attached documents as herein listed and forming part of this tender

DOCUMENTS INCLUDED IN CONTRACT:

- Special Instructions to Bidders
- Instructions to Bidders
- Form of Tender
- Agreement to Bond
- Form of Contract Agreement
- Schedule of Drawings & Specifications
- Special Provisions – General Supplementary
- Special Provisions – Contract Items Supplementary
- General Conditions of Contract Supplementary
- Construction Drawings (as noted)
- Addenda (if applicable)

and have carefully examined the site and location of the work to be done under this contract. We, the undersigned Contractor(s), understand and accept the said drawings and contract documents, and, for the prices set forth in this Tender, hereby offer to furnish all machinery, labour, tools, apparatus and other means of construction, furnish all materials except as otherwise specified in the Contract, and to complete the work in strict accordance with the drawings and contract documents referred to above, for the total tender price of:

_____ Dollars.

(\$ _____) *excluding H.S.T.*

We acknowledge that we have received Addendum/Addenda No. _____* to _____* inclusive, and that all changes specified in the Addendum/Addenda have been included in the prices submitted.

We agreed to commence work as specified to proceed continuously to the completion and to complete all the work at the unit prices tendered by November 30th, 2020.

We agree that this tender is to continue open to acceptance and irrevocable until the formal contract has been executed by the successful Tendered for the said work, and the bond or bonds as specified have been executed by the approved surety or sureties, and that the Owner may, at any time, within **forty five (45) calendar days** of closing date, accept this tender without notice, whether any tender has been previously accepted or not.

** to be filled in by Tenderer.*

**OFFERED ON BEHALF OF
THE CONTRACTOR**

Signature

Signature

Company Name

Address

Witness

Date

ADDENDA

**COMMENCEMENT
& COMPLETION**

**TENDER IS OPEN
TO ACCEPTANCE
& IRREVOCABLE**

Insert Workplace Safety &
Insurance Board Account
No. _____

Contractor's Seal

Witness

NOTE:

- a) If the Tendered is a Corporation, the Corporate seal must be affixed under the signature of a duly authorized officer or officers of the Corporation.
- b) If the Tendered is not a Corporation or a Partnership, the Tendered must sign in the presence of a witness who must also sign.
- c) If the Tendered is a Partnership, each member of the Partnership must sign in the presence of a witness who must also sign.

All Bidders are to note that the Special Provisions - Contract Items Supplementary are regularly revised and in some cases modified to a specific project. The City will not be responsible for any Bidder not being aware of the changes from previous tender documents.

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2020-510-20

For Park Improvements to Ball Diamond #1 at Oakes Park

| ITEM NO. | SPEC NO. | DESCRIPTION | ESTIMATED QUANTITY | UNIT | UNIT PRICE | TOTAL PRICE |
|------------------------------|-------------------------------|--|--------------------|------|---------------------|---------------------|
| SECTION 'A' - GENERAL | | | | | | |
| A1 | A1 | Bonding | 1 | L.S. | \$ _____ | \$ _____ |
| A4 | SPCS | Construction Layout | | | | |
| | | a) Survey Layout | 1 | L.S. | \$ _____ | \$ _____ |
| | | b) Record Survey, Drawings and Photography | 1 | L.S. | \$ _____ | \$ _____ |
| A7 | SPCS | Install, Maintain and Remove Silt Control Devices | | | | |
| | | a) Catchbasin Silt Bags | 6 | each | \$ _____ | \$ _____ |
| | | b) Light Duty Silt Fence Barrier, OPSD 219.110 (Provisional) | 30 | m | \$ _____ | \$ _____ |
| A9 | SPCS | Contingency Allowance | 1 | L.S. | \$ 35,000.00 | \$ 35,000.00 |
| A10 | A10 | Tree Protection | 60 | m | \$ _____ | \$ _____ |
| A11 | SPCS | Construction Fencing | | | | |
| | | a) Steel Construction Fencing 1.8m High (Modu-Loc or equivalent) | 1 | L.S. | \$ _____ | \$ _____ |
| | | b) Snow Fencing | 100 | m | \$ _____ | \$ _____ |
| A12 | SPCS Appx. E S 01 45 00 | Material Samples and Compaction Testing | 1 | L.S. | \$ _____ | \$ _____ |
| A13 | SPCS | Mobilization/Demobilization Costs | 1 | L.S. | \$ _____ | \$ _____ |

TOTAL SECTION 'A' - GENERAL \$

SECTION 'B' - SITE WORKS

| | | | | | | |
|-----|------|---|----|----------------|----------|----------|
| B1 | SPCS | Test Pits | | | | |
| | | a) Depth up to 0.7m | 1 | each | \$ _____ | \$ _____ |
| | | c) Via Hydro Vac. (Any Depth) (Provisional) | 1 | Hour | \$ _____ | \$ _____ |
| B6 | SPCS | Subdrain (for bullpens, dugouts and retaining walls) | | | | |
| | | Perforated HDPE Pipe (Includes 'Coring of' and 'Connection to' existing structures, where required) | | | | |
| | | a) 100mm Dia. 210 Kpa HDPE corrugated pipe (bullpen) | 54 | m | \$ _____ | \$ _____ |
| | | b) 100mm Dia. 210 Kpa HDPE corrugated pipe with sock (dugout) | 36 | m | \$ _____ | \$ _____ |
| | | c) 150mm Dia. 210 Kpa HDPE corrugated pipe including sock and 19 mm clear stone wrapped in nov-woven geotextile (Terrafix 270R or Equivalent) for retaining walls | 65 | m | \$ _____ | \$ _____ |
| | | Non-perforated HDPE Pipe and connection fittings | | | | |
| | | d) 100mm Dia. Rigid 210 Kpa HDPE corrugated pipe with smooth interior wall | 8 | m | \$ _____ | \$ _____ |
| | | e) 150mm Dia. Rigid 210 Kpa HDPE corrugated pipe with smooth interior wall | 2 | m | \$ _____ | \$ _____ |
| | | f) Reconnect existing outfield subdrain to new CBMH (Provisional) | 1 | L.S. | \$ _____ | \$ _____ |
| B8 | SPCS | Concrete Curb and Gutter - Restoration | | | | |
| | | a) Barrier Curb (OPSD 600.110) Handformed | 2 | m | \$ _____ | \$ _____ |
| B9 | SPCS | Concrete Sidewalks - Restoration | | | | |
| | | Includes 32MPa Concrete with Wire Mesh, Excavation and Granular A base | | | | |
| | | a) Standard - 125mm Thickness (OPSD 310.010) | 15 | m ² | \$ _____ | \$ _____ |
| B16 | SPCS | Concrete Pavement and Structures - Restoration | | | | |
| | | Includes 32MPa Concrete with Wire Mesh, Rebar, Excavation, Preparation & Handwork | | | | |
| | | a) Concrete Pavement - 200mm Thickness (OPSD 310.010) with Wire Mesh | 8 | m ² | \$ _____ | \$ _____ |
| | | b) Grandstand Sidewalk Restoration with Rebar | 1 | L.S. | \$ _____ | \$ _____ |

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2020-510-20

For Park Improvements to Ball Diamond #1 at Oakes Park

| ITEM NO. | SPEC NO. | DESCRIPTION | ESTIMATED QUANTITY | UNIT | UNIT PRICE | TOTAL PRICE |
|------------|----------|--|--|--|--|--|
| B18 | SPCS | Granular Driveways - Restoration <i>Includes Granular, Excavation, Preparation & Handwork</i> a) Granular 'A' i. Gravel Driveway - 200mm Depth | 28 | m ² | \$ _____ | \$ _____ |
| B21 | SPCS | Topsoil and Sod <i>Includes any grading necessary to provide positive drainage</i> a) 100mm Topsoil & Sod | 2300 | m ² | \$ _____ | \$ _____ |
| B27 | B27 | Removal of Existing Items (Refer to Drawing C-102) a) Existing Dugouts including slab, foundations , retaining walls and footings b) Existing Fencing and Bullpen Backstops c) Existing Bullpen Mound and timbers d) Existing Concrete Sidewalk and Pavement e) Existing Concrete Curb f) Existing Topsoil and Sod Stripping (Depth 100mm from Finished Grade) and Disposal g) Existing Infield Clay and Warning Track Stripping (Depth 250mm from Finished Grade) and Disposal h) Existing Infield Irrigation System i) Existing Mound, Batters Box and Catchers Box | 1 105 1 31 2 1 1 1 1 | L.S. m L.S. m ² m L.S. L.S. L.S. L.S. | \$ _____ \$ _____ \$ _____ \$ _____ \$ _____ \$ _____ \$ _____ \$ _____ \$ _____ | \$ _____ \$ _____ \$ _____ \$ _____ \$ _____ \$ _____ \$ _____ \$ _____ \$ _____ |
| B32 | B32 | Dowel Bars | 46 | each | \$ _____ | \$ _____ |
| B36 | SPCS | Remove, Store and Reinstate a) Sidewalk Hand Rails and Metal Stairs | 1 | L.S. | \$ _____ | \$ _____ |
| B37 | Appx E | Irrigation System <i>Includes new infield irrigation system and irrigation service(s) replacement and relocation of existing heads at edge of outfield</i> | 1 | L.S. | \$ _____ | \$ _____ |
| B38 | SPCS | Electrical <i>Includes north bull pen electrical box adjustment and north dugout electrical disconnect, relocate and reconnect and investigation to locate electrical duct bank in the vicinity of the new dugout and bullpen areas.</i> | 1 | L.S. | \$ _____ | \$ _____ |
| B39 | Appx E | Supply and Install Sport Sand | 177 | m3 | \$ _____ | \$ _____ |
| B40 | Appx E | Supply and Install Series 15 Standard clay | 140 | m3 | \$ _____ | \$ _____ |
| B41 | Appx E | Supply and Install Clay Track Surfacers 20 | 37 | m3 | \$ _____ | \$ _____ |
| B42 | Appx E | Supply and Install Pitchers Mound and Batters Box at Infield | 1 | L.S. | \$ _____ | \$ _____ |
| B43 | Appx E | Supply and Install Pitching Rubber | 1 | each | \$ _____ | \$ _____ |
| B44 | Appx E | Supply and Install Home Plate | 1 | each | \$ _____ | \$ _____ |
| B45 | Appx E | Supply and Install Infield Drainage System | 1 | LS | \$ _____ | \$ _____ |
| B46 | SPCS | Clear Stone Fill <i>Includes supply and placement of 19mm Clear Stone fill behind dugout walls and sealing exposed ends with brick, mortar and parging or equivalent alternative</i> | 1 | L.S. | \$ _____ | \$ _____ |

TOTAL SECTION 'B' - SITE WORKS \$

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2020-510-20

For Park Improvements to Ball Diamond #1 at Oakes Park

| ITEM NO. | SPEC NO. | DESCRIPTION | ESTIMATED QUANTITY | UNIT | UNIT PRICE | TOTAL PRICE |
|-----------------------------|----------|--|--------------------|------|------------|-------------|
| SECTION 'C' - SEWERS | | | | | | |
| C1.2- STORM | | | | | | |
| C1 | SPCS | Storm Sewers <i>Includes Removal & Disposal of Existing Sewer - Any Type/Depth/Dia., (unless otherwise noted)</i> 200mm Dia. - PVC DR 35 including excavation, granular 'a' embedment and a) select native backfill including insulation where noted on plans b) Flush and TV Inspect storm sewer | 162 | m | \$ _____ | \$ _____ |
| | | | 1 | L.S. | \$ _____ | \$ _____ |
| C6 | SPCS | Precast Concrete Maintenance Holes, Catchbasins and Ditch Inlets <i>Includes excavation and granular 'a' bedding and select native backfill (unless otherwise noted)</i> A. Precast Concrete Catchbasin Maintenance Holes a) 1200mm Dia. - OPSD 701.010 with 300mm Sump i. CBMH 1; approx. 1.6m deep ii. CBMH 2; approx. 1.3m deep iii. CBMH 3; approx. 1.8m deep iv. CBMH 4; approx. 2.0m deep v. CBMH 5; approx. 2.0m deep | 1 | each | \$ _____ | \$ _____ |
| | | | 1 | each | \$ _____ | \$ _____ |
| | | | 1 | each | \$ _____ | \$ _____ |
| | | | 1 | each | \$ _____ | \$ _____ |
| | | | 1 | each | \$ _____ | \$ _____ |
| | | | 1 | each | \$ _____ | \$ _____ |
| C10 | SPCS | Sewer and/or Structure Connections <i>Any Material Type/Depth/Diameter/Wall Thickness</i> a) 200mm dia. pipe connection to existing catchbasin including reconnection of existing pipe | 2 | each | \$ _____ | \$ _____ |

TOTAL SECTION 'C' - SEWERS \$ _____

| SECTION 'E' - DUGOUTS AND BULLPENS | | | | | | |
|---|---------|--|-----|----------------|----------|----------|
| E1 | Appx. E | Supply and Install bullpen fencing, backstop and gates | 114 | m | \$ _____ | \$ _____ |
| E2 | Appx. E | Supply and install precast concrete dugouts, | 1 | L.S. | \$ _____ | \$ _____ |
| E3 | Appx. E | Supply and install concrete dugout pads | 1 | L.S. | \$ _____ | \$ _____ |
| E4 | Appx. E | Supply and install concrete artificial turf anchor | 84 | m | \$ _____ | \$ _____ |
| E5 | Appx. E | Supply and install artificial turf | 130 | m ² | \$ _____ | \$ _____ |
| E6 | Appx. E | Supply and install granular base for artificial turf | 130 | m ² | \$ _____ | \$ _____ |
| E7 | Appx. E | Supply and install mounds in bullpens | 2 | each | \$ _____ | \$ _____ |
| E8 | Appx. E | Supply and install 1200mm height chainlink fencing and gates | 25 | m | \$ _____ | \$ _____ |
| E9 | Appx. E | Supply and install 1200mm height black vinyl chainlink fence at dugouts | 18 | m | \$ _____ | \$ _____ |
| E10 | Appx. E | Supply and install pitching rubber | 2 | each | \$ _____ | \$ _____ |

TOTAL SECTION 'E' - DUGOUTS AND BULLPENS \$ _____

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2020-510-20

For Park Improvements to Ball Diamond #1 at Oakes Park

| ITEM NO. | SPEC NO. | DESCRIPTION | ESTIMATED QUANTITY | UNIT | UNIT PRICE | TOTAL PRICE |
|----------|----------|-------------|--------------------|------|------------|-------------|
|----------|----------|-------------|--------------------|------|------------|-------------|

SECTION 'F' - RETAINING WALL

| | | | | | | |
|-----------|---------|--|------|----------------|----------|----------|
| F1 | Appx. F | Engineering <i>Includes Engineering, Progress Reviews, Final Signoff, and Global Stability Analysis by Geotechnical Consultant</i> | 1 | L.S. | \$ _____ | \$ _____ |
| F2 | Appx. F | Excavation, Bedding, and Granular B Type I (Crushed Limestone) Backfill | 1 | L.S. | \$ _____ | \$ _____ |
| F3 | Appx. F | Supply and Install Retaining Walls (per m² vertical wall face) | 74 | m ² | \$ _____ | \$ _____ |
| F4 | B28 | Supply and Install Pedestrian Barricade (OPSD 980.101) | 13.7 | m | \$ _____ | \$ _____ |

TOTAL SECTION 'F' - RETAINING WALL \$ _____

TENDER SUMMARY

| | |
|----------------------------------|-----------|
| SECTION 'A' – GENERAL | \$ |
| SECTION 'B' – SITE WORKS | \$ |
| SECTION 'C' – SEWERS | \$ |
| SECTION 'E' – DUGOUTS & BULLPENS | \$ |
| SECTION 'F' – RETAINING WALL | \$ |
| | \$ |
| TOTAL TENDER: | \$ |

STATEMENT 'A'

UNIT PRICES (PROVISIONAL)

 Name of Bidder

Unit prices will not be considered by the Owner in determining the lowest bidder. Unit prices listed hereunder do not include HST

I/we the undersigned agree that the Owner may use the following unit prices for additional work, and that all unit prices, unless specifically indicated are for complete work, in place, supplied and installed in accordance with applicable contract requirements and that unit prices listed include all overhead and profit mark-up.

I/we the undersigned agree that the Owner shall have the right to negotiate the cost of additional work instead of using the unit prices listed hereunder.

| Spec. No. | Item Description | Unit Price (\$) | Units of Measure |
|--------------|--|--------------------|---------------------|
| SPS B3 | Granular 'B' Type 1 (Crushed Limestone) | \$ | tonne |
| SPCS B10 | Sawcutting Pavement up to 200mm thick | \$ | m |
| SPCS B14 | Supply and Place HL3F Asphalt | \$ | tonne |
| SPCS B15 | Asphalt Walkway and Driveway Restoration (Handwork) | \$ | m ² |
| SPCS B24 | Application of Water for Dust Control | \$ | m ³ |
| SPCS B25 | Cold Mix, Open Graded Bituminous Pavement | \$ | tonne |
| SPCS P1 | 32 MPa Concrete | \$ | m ³ |
| SPCS P3 | Rock Excavation In Trench | \$ | m ³ |
| SPCS P5 | 19 mm Clear Stone | \$ | tonne |

City of Niagara Falls
Contract 2020-510-20
For Park Improvements to Ball Diamond # 1 at Oakes Park

| | | | |
|------------|-------------------------------|----|----------------|
| SPCS P7 | Trench or Road Sub-Excavation | \$ | m ³ |
|------------|-------------------------------|----|----------------|

Signature

Date

Name and Title

END

STATEMENT 'B'

TENDERER'S EXPERIENCE IN SIMILAR WORK

***UNLESS THIS LIST IS PROPERLY COMPLETED,
THE TENDER MAY BE DISQUALIFIED***

| Year Completed | Description of Work | For Whom Work Performed | Value (\$) |
|-----------------------|----------------------------|--------------------------------|-------------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

STATEMENT 'C'

HARMONIZED SALES TAX

The Contractor shall **not** include any amount in his tender price for the Harmonized Sales Tax (H.S.T.). Any amount to be levied with respect to the H.S.T. will be included as a separate item on the payment certificate. The appropriate H.S.T. levy will be paid to the Contractor in addition to the amount approved by the Contract Administrator for work performed under the contract and will, therefore, not affect the amount of the contract. The Contractor will be required to make the appropriate remittance to Revenue Canada in accordance with the legislation.

- i) Total Tender Price \$ _____
- ii) Estimated Cost of the Harmonized Sales Tax (H.S.T.) \$ _____
- iii) Total Contract Amount [(i) + (ii)] \$ _____
- iv) H.S.T. Registration Number: _____

Company Name

Contractor's Signature

Address

Contractor's Seal

Witness

Witness

STATEMENT 'D'

CONFIRMATION FORM
ACCESSIBILITY REGULATIONS FOR CONTRACTED SERVICES

If the nature of your business with the City of Niagara Falls (the 'City') requires that any of your employees, sub-contractors or trades interact with the public on behalf of the Owner, it is necessary that the Owner ensure those providing service on our behalf have received 'Customer Service Training' in order that we retain our compliance with the requirements of the Accessibility for Ontarians with Disabilities Act 2005.

Please sign below to ensure you are the person able to bind your company. Companies, whose employee's role may require them to interact with the public on behalf of the Owner, shall receive the CUSTOMER SERVICE STANDARD TRAINING of the *ACCESSIBILITY FOR ONTARIANS WITH DISABILITIES ACT 2005*.

If you have any questions, please contact:

Jason MacLean, M.Ed., B.A., CSEP-CEP
Human Resources Specialist
City of Niagara Falls
Human Resources Department
Phone: 905-356-7521 ext. 4294

The successful Contractor will be required to sign and submit this sheet at the Preconstruction Review Meeting (see SPGS 30).

Dated this day of, _____, 2020.

Contracting Company

Signature of Authorized Person Signing for Company

Position

STATEMENT 'E'

LIST OF SUB-CONTRACTORS

The bidders shall list hereunder the names of all sub-contractors intended to be used in the execution of this work subject to the approval of the Contract Administrator.

All work not performed directly by the Contractor's forces shall be included in this list and any changes must be approved by the Contract Administrator.

| Sub-Trade | Sub-Contractor Company Name | Sub-Contractor Company Address |
|-----------|-----------------------------|--------------------------------|
| | | |
| | | |
| | | |
| | | |
| | | |