



THE CORPORATION OF THE CITY OF NIAGARA FALLS
REQUEST FOR TENDER - SUPPLY

SPEC. # 22C-26
Page 1 of 7

RFT22-2020

**3,000 KG. GVW EXTENDED CAB, 4X2 4 DOOR PICKUP TRUCK
SPECIFICATIONS AND CONFIRMATION**

GENERAL SPECIFICATIONS

This vehicle shall be a new current model with all standard equipment plus all other equipment outlined in this specification if not standard.

Bid submitted will be considered non-compliant where minimums are not met and "NO" is specified.

DETAILED SPECIFICATIONS

I. **MAKE AND MODEL**

SPECIFY

Chevrolet C1500, Dodge Ram 1500, Ford F150 or GMC C1500

YEAR: _____

MAKE; _____

MODEL: _____

2. **VEHICLE WEIGHT AND DIMENSIONS**

SPECIFY

GVWR required – 3,000 kg. minimum _____ kg.

Payload rating for vehicle as specified _____ kg.

Wheelbase shall be 140" minimum _____ in.

COMPANY NAME: _____ SIGNATURE: _____

THE CORPORATION OF THE CITY OF NIAGARA FALLS
REQUEST FOR TENDER - SUPPLY

SPEC. # 22C-26
Page 2 of 7

RFT22-2020

3,000 KG. GVW EXTENDED CAB, 4 DOOR PICKUP TRUCK
SPECIFICATIONS AND CONFIRMATION

3. **AXLES** **SPECIFY**
- Front and rear axle weight rating shall provide GVWR specified _____kg.front
_____ kg.rear
- Front stabilizer bar _____ Yes/No
- Power steering _____ Yes/No
4. **WHEELS, TIRES AND RIMS** **SPECIFY**
- Wheels and tires shall provide GVWR specified _____ Yes/No
- Wheels _____ in. x _____ in.
- Tires _____ size
- Four (4) rims mounted with four (4) first line all-season M+S rating steel-belted radial tires shall be supplied
- Spare Tire Delete _____ Yes/No
5. **SPRINGS** **SPECIFY**
- Front and rear spring capacity at ground shall provide GVWR specified _____lb.front ea.
_____lb.rear ea.
- Heavy duty front and rear shock absorbers _____ Yes/No

COMPANY NAME: _____ SIGNATURE: _____

THE CORPORATION OF THE CITY OF NIAGARA FALLS
REQUEST FOR TENDER - SUPPLY

SPEC. # 22C-26
Page 3 of 7

RFT22-2020

3,000 KG. GVW EXTENDED CAB, 4 DOOR PICKUP TRUCK
SPECIFICATIONS AND CONFIRMATION

6. **ENGINE** **SPECIFY**
- An **eight** (8) cylinder gasoline engine is required
having a minimum displacement of 5.0 litres _____ litres
- Net HP at rated r.p.m. _____ HP @ _____ r.p.m.
- Net torque at rated r.p.m. Net Torque _____ lbs. ft. @ _____ r.p.m.
- Engine block heater _____ Yes/No
7. **POWER TRAIN** **SPECIFY**
- Six (6)** speed automatic transmission, minimum _____ Yes/No
- Standard axle ratio _____ ratio
8. **BRAKES** **SPECIFY**
- Four wheel antilock brakes (ABS) _____ Yes/No
- Power-assisted four-wheel disc brakes _____ Yes/No
9. **ELECTRICAL** **SPECIFY**
- Battery 12 volt heavy duty _____ amp. hr.
- Alternator - 12 volt – 160 amp minimum low cut in speed _____ amp.

COMPANY NAME: _____ SIGNATURE: _____

THE CORPORATION OF THE CITY OF NIAGARA FALLS
REQUEST FOR TENDER - SUPPLY

SPEC. # 22C-26
Page 4 of 7

RFT22-2020

3,000 KG. GVW EXTENDED CAB, 4 DOOR PICKUP TRUCK
SPECIFICATIONS AND CONFIRMATION

10. CAB EQUIPMENT

SPECIFY

- 4 doors _____ Yes/No
- Driver's and passenger side impact air bags _____ Yes/No
- The cab shall be extended cab type with a standard bench type seat with cloth covering _____ Yes/No
- Folding rear seat, cloth covered _____ Yes/No
- Upholstery, dark grey _____ colour
- Rubber (vinyl) floor covering _____ Yes/No
- Intermittent windshield wiper system _____ Yes/No
- Power Windows _____ Yes/No
- Adjustable outside below eye level mirrors left and right, 6" x 9" approximately _____ Yes/No
- Type _____
- Size _____
- Factory installed AM/FM radio _____ Yes/No
- Factory installed hands-free communication, Bluetooth _____ Yes/No
- Factory installed air conditioning _____ Yes/No
- Tinted Glass _____ Yes/No
- Axillary outfitter dash switches _____ Yes/No

COMPANY NAME: _____ SIGNATURE: _____

THE CORPORATION OF THE CITY OF NIAGARA FALLS
REQUEST FOR TENDER - SUPPLY

SPEC. # 22C-26
Page 5 of 7

RFT22-2020

3,000 KG. GVW EXTENDED CAB, 4 DOOR PICKUP TRUCK
SPECIFICATIONS AND CONFIRMATION

11. **BODY** **SPECIFY**
- To be enclosed fender type _____ Yes/No
- Length – 78 inches long inside approximately _____ in.
- Width - 62 inches wide inside approximately _____ in.
12. **CHASSIS ACCESSORIES** **SPECIFY**
- Standard front bumper _____ Yes/No
- Rear step bumper of heavy duty non-skid construction
suitable for trailer towing (Vehicle with no power lift-gate) _____ Yes/No
- Class IV trailer hitch receiver _____ Yes/No
- Trailer tow package _____ Yes/No
- Integrated trailer brake controller _____ Yes/No
- Locking differential _____ Yes/No
- Standard fuel tank capacity _____ litres
13. **MISCELLANEOUS** **SPECIFY**
- Antifreeze shall be supplied, - 35°C _____ Yes/No
- Signed manufacturer's factory warranty shall be supplied _____ Yes/No
- A line setting ticket and/or vehicle specification sheet shall be
supplied indicating component sizes, capacities, ratios, etc. _____ Yes/No
- Operator's manual shall be supplied, one (1) per vehicle _____ Yes/ No

COMPANY NAME: _____ SIGNATURE: _____

THE CORPORATION OF THE CITY OF NIAGARA FALLS
REQUEST FOR TENDER - SUPPLY

SPEC. # 22C-26
Page 6 of 7

RFT22-2020

3,000 KG. GVW EXTENDED CAB, 4 DOOR PICKUP TRUCK
SPECIFICATIONS AND CONFIRMATION

14. PAIN

SPECIFY

Manufacturer's standard white

_____ Yes/No

Interior to be colour-keyed to exterior

_____ Yes/No

15. LICENCE

SPECIFY

Dealer to supply a fully completed and SIGNED N.V.I.S
card at time of delivery

_____ Yes/No

Vehicle to be licensed by Dealer.

_____ Yes/No

16. GENERAL

SPECIFY

Vehicles must be supplied with suitable components to comply with
this specification in all aspects

_____ Yes/No

Where minimums are called for, the vehicle must meet or exceed
the capacity, size or performance specified

_____ Yes/No

This specification lists only the major details of a unit; therefore,
it is the supplier's responsibility to deliver a fully equipped
vehicle with compatible components to provide dependable
and efficient service.

_____ Yes/No

COMPANY NAME: _____ SIGNATURE: _____

THE CORPORATION OF THE CITY OF NIAGARA FALLS
REQUEST FOR TENDER - SUPPLY

SPEC. # 22C-26
Page 7 of 7

RFT22-2020

3,000 KG. GVW EXTENDED CAB, 4 DOOR PICKUP TRUCK
SPECIFICATIONS AND CONFIRMATION

17. OPTIONS

SPECIFY

A. SWS amber strobe light model 16310 installed on
centre mounted pedestal to back rack _____ Yes/No

B. Standard pickup truck cargo rack (Back Rack) installed _____ Yes/No

C. Installed 1,300 lb. minimum capacity, extruded aluminium
hydraulic lift gate (factory tailgate delete) _____ Yes/No

Manufacturer: _____

Minimum 55" load width x 38" load depth:

Size: _____

D. Sprayed in factory box liner or approve equivalent _____ Yes/No

Type: _____

COMPANY NAME: _____ SIGNATURE: _____