

# **FORM OF TENDER**

**FORM OF TENDER**

**I N D E X**

	<b>DESCRIPTION</b>	<b>PAGE</b>
1.	<b>FORM OF TENDER .....</b>	<b>FT - 1</b>
2.	<b>SCHEDULE OF QUANTITIES &amp; UNIT PRICES .....</b>	<b>FT - 4</b>
3.	<b>TENDER SUMMARY .....</b>	<b>FT - 5</b>
4.	<b>TENDERER'S EXPERIENCE IN SIMILAR WORK.....</b>	<b>FT - 6</b>
5.	<b>HARMONIZED SALES TAX .....</b>	<b>FT - 7</b>
6.	<b>CONFIRMATION FORM .....</b>	<b>FT - 8</b>
7.	<b>LIST OF SUB-CONTRACTORS .....</b>	<b>FT - 9</b>

**FORM OF TENDER**

We, the undersigned Contractor(s) have carefully examined the attached documents as herein listed and forming part of this tender

**DOCUMENTS INCLUDED IN CONTRACT:**

- Special Instructions to Bidders
- Instructions to Bidders
- Form of Tender
- Agreement to Bond
- Form of Contract Agreement
- Schedule of Drawings & Specifications
- Special Provisions – General Supplementary
- Special Provisions – Contract Items Supplementary
- General Conditions of Contract Supplementary
- Construction Drawings (as noted)
- Addenda (if applicable)

and have carefully examined the site and location of the work to be done under this contract. We, the undersigned Contractor(s), understand and accept the said drawings and contract documents, and, for the prices set forth in this Tender, hereby offer to furnish all machinery, labour, tools, apparatus and other means of construction, furnish all materials except as otherwise specified in the Contract, and to complete the work in strict accordance with the drawings and contract documents referred to above, for the total tender price of:

\_\_\_\_\_ Dollars.

(\$ \_\_\_\_\_) *excluding H.S.T.*

We acknowledge that we have received Addendum/Addenda No. \_\_\_\_\_\* to \_\_\_\_\_\* inclusive, and that all changes specified in the Addendum/Addenda have been included in the prices submitted.

We agree to commence work as specified to proceed continuously to the completion and to complete all the work at the unit prices tendered within **Fifty (50) working days**.

We agree that this tender is to continue open to acceptance and irrevocable until the formal contract has been executed by the successful Tendered for the said work, and the bond or bonds as specified have been executed by the approved surety or sureties, and that the Owner may, at any time, within **forty five (45) calendar days** of closing date, accept this tender without notice, whether any tender has been previously accepted or not.

*\* to be filled in by Tenderer.*

**OFFERED ON BEHALF OF  
THE CONTRACTOR**

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Company Name

\_\_\_\_\_  
Address

\_\_\_\_\_  
Witness

\_\_\_\_\_  
Date

**ADDENDA**

**COMMENCEMENT  
& COMPLETION**

**TENDER IS OPEN  
TO ACCEPTANCE  
& IRREVOCABLE**

Insert Workplace Safety &  
Insurance Board Account  
No. \_\_\_\_\_

Contractor's Seal

\_\_\_\_\_  
Witness

**NOTE:**

- a) If the Tendered is a Corporation, the Corporate seal must be affixed under the signature of a duly authorized officer or officers of the Corporation.
- b) If the Tendered is not a Corporation or a Partnership, the Tendered must sign in the presence of a witness who must also sign.
- c) If the Tendered is a Partnership, each member of the Partnership must sign in the presence of a witness who must also sign.

All Bidders are to note that the Special Provisions - Contract Items Supplementary are regularly revised and in some cases modified to a specific project. The City will not be responsible for any Bidder not being aware of the changes from previous tender documents.

**SCHEDULE OF QUANTITIES AND UNIT PRICES**

**CONTRACT NO. 2021-13**  
**2021 ROAD RESURFACING PROGRAM**

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
<b>SECTION 'A' - GENERAL</b>						
A1	A1	Bonding	1	L.S.	\$ _____	\$ _____
A8	SPCS	Construction Signs, Traffic Control and Traffic Management Plan	1	L.S.	\$ _____	\$ _____
A9	A9	Contingency Allowance	1	L.S.	\$ 100,000.00	\$ 100,000.00

**TOTAL SECTION 'A' - GENERAL \$**

---

**SCHEDULE OF QUANTITIES AND UNIT PRICES**

**CONTRACT NO. 2021-13**  
**2021 ROAD RESURFACING PROGRAM**

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
<b>SECTION 'B1' - ROADS (Morrison St - Dorchester Rd to Drummond Rd)</b>						
<b>B2</b>	SPCS	<b>Excavation</b> <i>Includes sawcutting and disposal of surplus or unsuitable excavated materials</i>				
		b) Asphalt Material - any thickness	50	m <sup>2</sup>	\$ _____	\$ _____
		c) Concrete Driveways and Sidewalks (any thickness)	20	m <sup>2</sup>	\$ _____	\$ _____
		d) Curb and/or Curb & Gutter (any type)	30	m	\$ _____	\$ _____
		e) Bike Lane Widening excavation (1m - 1.5m wide X 0.50m deep)	2550	m <sup>2</sup>	\$ _____	\$ _____
		f) Shoulder Preparation - 100mm thick - <b>0.60m wide</b>	1020	m <sup>2</sup>	\$ _____	\$ _____
<b>B3</b>	SPCS	<b>Granular Material</b>				
		a) Granular 'A'				
		i. Roads (Various purposes)	50	t	\$ _____	\$ _____
		ii. Bike Lane Widening - 360mm thick	2,295	t	\$ _____	\$ _____
		iii. Shoulder Restoration - 50mm thick	150	t	\$ _____	\$ _____
		c) Granular 'M'				
		i. Shoulder Restoration 50mm thick	150	t	\$ _____	\$ _____
<b>B8</b>	SPCS	<b>Concrete Curb and Gutter</b>				
		a) Barrier Curb w/ Standard Gutter - Tangent (OPSD 600.040)	20	m	\$ _____	\$ _____
		d) Barrier Curb (OPSD 600.110)	10	m	\$ _____	\$ _____
<b>B9</b>	SPCS	<b>Concrete Sidewalks</b> <i>32MPa Concrete</i>				
		a) Standard - 125mm Thickness (OPSD 310.010)	10	m <sup>2</sup>	\$ _____	\$ _____
		b) Commercial - 200mm Thickness (OPSD 310.010)	10	m <sup>2</sup>	\$ _____	\$ _____
<b>B11</b>	SPCS	<b>Asphalt Milling</b>				
		a) < 75mm Depth (incl. tapers at limits and butt joints and remove ramping)	100	m <sup>2</sup>	\$ _____	\$ _____
		b) Full depth milling for base repairs	930	m <sup>2</sup>	\$ _____	\$ _____
		c) 50mm Depth	6200	m <sup>2</sup>	\$ _____	\$ _____
<b>B12</b>	B12	<b>Supply and Application of Tack Coat</b>	8600	m <sup>2</sup>	\$ _____	\$ _____
<b>B13</b>	SPCS	<b>Adjustment of Appurtenances</b>				
		a) Existing Catchbasin/Ditch Inlet Frame & Grate				
		i. < 300mm	3	each	\$ _____	\$ _____
		b) Replace Existing Catchbasin/Ditch Inlet Frame & Grate				
		i. Cast Iron Square Frame w/Dished Herring Bone Openings (OPSD 400.01)	1	each	\$ _____	\$ _____
		c) Existing Maintenance Hole/Valve Chamber Frame & Cover				
		i. < 300mm	15	each	\$ _____	\$ _____
		ii. 300mm - 450mm	1	each	\$ _____	\$ _____
		d) Replace Existing Maintenance Hole/Valve Chamber Frame & Cover				
		i. Cast Iron Square Frame w/ Circular Cover (OPSD 401.01)	1	each	\$ _____	\$ _____
		e) Existing Valve/Curb Boxes	2	each	\$ _____	\$ _____

**SCHEDULE OF QUANTITIES AND UNIT PRICES**

**CONTRACT NO. 2021-13**  
**2021 ROAD RESURFACING PROGRAM**

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
<b>B14</b>	SPCS	<b>Supply &amp; Place Hot Mix Asphalt</b>				
		a) Roadways				
		i. HL3 HS Surface Course - (Thickness 60mm)	1450	t	\$ _____	\$ _____
		ii. HL8 HS Base Course - (80mm thick Bike lane widening)	500	t	\$ _____	\$ _____
		iii. HL8 HS Base Course (base repairs - incld centreline/longitudinal and transverse base repairs - 0.5m width )	250	t	\$ _____	\$ _____
		c) Commercial/Industrial Driveways				
		i. HL3F Surface Course - 40mm Thickness	10	t	\$ _____	\$ _____
ii. HL8 MDBC Base Course - 50mm Thickness	10	t	\$ _____	\$ _____		
<b>B15</b>	SPCS	<b>Asphalt Walkways &amp; Driveways</b> <i>For Preparation, Compaction &amp; Handwork</i>				
		b) Commercial/Industrial Driveway & Bike Lane Widening	50	m <sup>2</sup>	\$ _____	\$ _____
<b>B21</b>	B21	<b>Topsoil and Sod</b> <i>Includes any grading necessary to provide positive drainage, excavation and disposal of unsuitable materials</i>				
		a) 100mm Topsoil & Sod	20	m <sup>2</sup>	\$ _____	\$ _____
<b>B22</b>	B22	<b>Topsoil, Seed and Mulch</b> <i>Includes any grading necessary to provide positive drainage</i>				
		a) 100mm Topsoil w/ Seed & Mulch	50	m <sup>2</sup>	\$ _____	\$ _____
<b>B30</b>	SPCS	<b>Base Repairs - General (Granular)</b>	310	m <sup>2</sup>	\$ _____	\$ _____
<b>B38</b>	SPCS	<b>Line Painting</b> <i>Organic Solvent-Based Traffic Paint with Reflectorized Glass Beads</i>				
		a) Directional Dividing Line				
		i. Solid Yellow - 10cm Wide	860	m	\$ _____	\$ _____
		ii. Solid White - 10cm Wide	3200	m	\$ _____	\$ _____
		b) Lane Lines				
		i. Broken White - 10cm Wide; 6m Gap	150	m	\$ _____	\$ _____
		c) Continuity Lines - Broken White				
		i. Turning Lane Tapers - 10cm Wide; 3m Length; 3m Gap	20	m	\$ _____	\$ _____
		ii. Bike Lane Tapers - 10cm Wide; 1m Length; 1m Gap	125	m	\$ _____	\$ _____
		d) Stopbars - Solid White - 60cm Wide	40	m	\$ _____	\$ _____
		e) Crosswalks - Solid White - 20cm Wide; 250-300cm Gap	20	m	\$ _____	\$ _____
		f) Symbols - White - Size per OTM Manual Book 11	18	each	\$ _____	\$ _____
		g) Black Out Existing Markings	10	m	\$ _____	\$ _____
<b>B40</b>	SPCS	<b>Fine Grading and Compaction - Bike Lane Widening</b>	2550	m <sup>2</sup>	\$ _____	\$ _____

**TOTAL SECTION 'B1' - ROADS (Morrison St - Dorchester Rd to Drummond Rd) \$ \_\_\_\_\_**



**SCHEDULE OF QUANTITIES AND UNIT PRICES**

**CONTRACT NO. 2021-13**  
**2021 ROAD RESURFACING PROGRAM**

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
<b>SECTION 'B2' - ROADS (Morrison St - Drummond Rd - Portage Rd)</b>						
<b>B2</b>	SPCS	<b>Excavation</b> <i>Includes sawcutting and disposal of surplus or unsuitable excavated materials</i>				
		b) Asphalt Material - any thickness	20	m <sup>2</sup>	\$ _____	\$ _____
		c) Concrete Driveways and Sidewalks (any thickness)	10	m <sup>2</sup>	\$ _____	\$ _____
		d) Curb and/or Curb & Gutter (any type)	10	m	\$ _____	\$ _____
		f) Shoulder Preparation - 100mm thick - <b>2.50m wide</b>	1040	m <sup>2</sup>	\$ _____	\$ _____
<b>B3</b>	SPCS	<b>Granular Material</b>				
		a) Granular 'A'				
		i. Roads (Various purposes)	50	t	\$ _____	\$ _____
		ii. Shoulder Restoration 50mm thick	150	t	\$ _____	\$ _____
		c) Granular 'M'				
		i. Shoulder Restoration 50mm thick	150	t	\$ _____	\$ _____
<b>B8</b>	SPCS	<b>Concrete Curb and Gutter</b>				
		a) Barrier Curb w/ Standard Gutter - Tangent (OPSD 600.040)	10	m	\$ _____	\$ _____
		d) Barrier Curb (OPSD 600.110)	10	m	\$ _____	\$ _____
<b>B9</b>	SPCS	<b>Concrete Sidewalks</b> <i>32MPa Concrete</i>				
		a) Standard - 125mm Thickness (OPSD 310.010)	10	m <sup>2</sup>	\$ _____	\$ _____
<b>B11</b>	SPCS	<b>Asphalt Milling</b>				
		a) < 75mm Depth (incl. tapers at limits and butt joints and remove ramping)	50	m <sup>2</sup>	\$ _____	\$ _____
		b) Full depth milling for base repairs	690	m <sup>2</sup>	\$ _____	\$ _____
		c) 50mm Depth	4600	m <sup>2</sup>	\$ _____	\$ _____
<b>B12</b>	B12	<b>Supply and Application of Tack Coat</b>	4600	m <sup>2</sup>	\$ _____	\$ _____
<b>B13</b>	SPCS	<b>Adjustment of Appurtenances</b>				
		a) Existing Catchbasin/Ditch Inlet Frame & Grate				
		i. < 300mm	8	each	\$ _____	\$ _____
		b) Replace Existing Catchbasin/Ditch Inlet Frame & Grate				
		i. Cast Iron Square Frame w/Dished Herring Bone Openings (OPSD 400.01)	1	each	\$ _____	\$ _____
		c) Existing Maintenance Hole/Valve Chamber Frame & Cover				
		i. < 300mm	7	each	\$ _____	\$ _____
		ii. 300mm - 450mm	1	each	\$ _____	\$ _____
		d) Replace Existing Maintenance Hole/Valve Chamber Frame & Cover				
		i. Cast Iron Square Frame w/ Circular Cover (OPSD 401.01)	1	each	\$ _____	\$ _____
		e) Existing Valve/Curb Boxes	1	each	\$ _____	\$ _____
<b>B14</b>	SPCS	<b>Supply &amp; Place Hot Mix Asphalt</b>				
		a) Roadways				
		i. HL3 HS Surface Course - <b>(Thickness 60mm)</b>	750	t	\$ _____	\$ _____
		iii. HL8 HS Base Course (base repairs - incld centreline/longitudinal and transverse base repairs - 0.5m width )	185	t	\$ _____	\$ _____
		c) Commercial/Industrial Driveways				
		i. HL3F Surface Course - 40mm Thickness	10	t	\$ _____	\$ _____
		ii. HL8 MDBC Base Course - 50mm Thickness	10	t	\$ _____	\$ _____
<b>B15</b>	SPCS	<b>Asphalt Walkways and Driveways</b> <i>For Preparation, Compaction &amp; Handwork</i>				
		b) Commercial/Industrial Driveway	20	m <sup>2</sup>	\$ _____	\$ _____

**SCHEDULE OF QUANTITIES AND UNIT PRICES**

**CONTRACT NO. 2021-13**  
**2021 ROAD RESURFACING PROGRAM**

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
<b>B22</b>	B22	<b>Topsoil, Seed and Mulch</b> <i>Includes any grading necessary to provide positive drainage</i> a) 100mm Topsoil w/ Seed & Mulch	25	m <sup>2</sup>	\$ _____	\$ _____
<b>B30</b>	SPCS	<b>Base Repairs - General (Granular)</b>	230	m <sup>2</sup>	\$ _____	\$ _____
<b>B37</b>	SPCS	<b>Line Painting</b> <i>Organic Solvent-Based Traffic Paint with ReflectORIZED Glass Beads</i> a) Directional Dividing Line i. Solid Yellow - 10cm Wide ii. Solid White - 10cm Wide b) Lane Lines i. Broken White - 10cm Wide; 6m Gap c) Continuity Lines - Broken White i. Turning Lane Tapers - 10cm Wide; 3m Length; 3m Gap d) Stopbars - Solid White - 60cm Wide e) Crosswalks - Solid White - 20cm Wide; 250-300cm Gap f) Symbols - White - Size per OTM Manual Book 11 g) Black Out Existing Markings	360 600  75 10 20 30 4 10	m m  m m m m each m	\$ _____ \$ _____  \$ _____ \$ _____ \$ _____ \$ _____ \$ _____ \$ _____	\$ _____ \$ _____  \$ _____ \$ _____ \$ _____ \$ _____ \$ _____ \$ _____

**TOTAL SECTION 'B2' - ROADS (Morrison St - Drummond Rd - Portage Rd) \$** \_\_\_\_\_

**SCHEDULE OF QUANTITIES AND UNIT PRICES**

**CONTRACT NO. 2021-13**  
**2021 ROAD RESURFACING PROGRAM**

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
<b>SECTION 'B3' - ROADS (Sinnicks Ave)</b>						
<b>B2</b>	SPCS	<b>Excavation</b> <i>Includes sawcutting and disposal of surplus or unsuitable excavated materials</i>				
		b) Asphalt Material - any thickness (including DW aprons & Paved Shoulder)	770	m <sup>2</sup>	\$ _____	\$ _____
		c) Concrete Driveways and Sidewalks (any thickness)	20	m <sup>2</sup>	\$ _____	\$ _____
		d) Curb and/or Curb & Gutter (any type)	20	m	\$ _____	\$ _____
		e) Paved Shoulder excavation - <b>360mm thick</b>	550	m <sup>2</sup>	\$ _____	\$ _____
<b>B3</b>	SPCS	<b>Granular Material</b>				
		a) Granular 'A'				
		i. Roads (Various purposes)	50	t	\$ _____	\$ _____
		ii. Paved Shoulder - 300mm thick	450	t	\$ _____	\$ _____
		c) Granular 'M'				
		i. Shoulder Restoration 50mm thick	20	t	\$ _____	\$ _____
<b>B8</b>	SPCS	<b>Concrete Curb and Gutter</b>				
		a) Barrier Curb w/ Standard Gutter - Tangent (OPSD 600.040)	20	m	\$ _____	\$ _____
		d) Barrier Curb (OPSD 600.110)	10	m	\$ _____	\$ _____
		g) Private Curb - Any Type (to match existing)	5	m	\$ _____	\$ _____
<b>B9</b>	SPCS	<b>Concrete Sidewalks</b> <i>32MPa Concrete</i>				
		a) Standard - 125mm Thickness (OPSD 310.010)	10	m <sup>2</sup>	\$ _____	\$ _____
<b>B11</b>	SPCS	<b>Asphalt Milling</b>				
		a) < 75mm Depth (incl. tapers at limits and butt joints and remove ramping)	50	m <sup>2</sup>	\$ _____	\$ _____
		b) Full depth milling for base repairs	915	m <sup>2</sup>	\$ _____	\$ _____
		c) 50mm Depth	6100	m <sup>2</sup>	\$ _____	\$ _____
<b>B12</b>	B12	<b>Supply and Application of Tack Coat</b>	6100	m <sup>2</sup>	\$ _____	\$ _____
<b>B13</b>	SPCS	<b>Adjustment of Appurtenances</b>				
		a) Existing Catchbasin/Ditch Inlet Frame & Grate				
		i. < 300mm	9	each	\$ _____	\$ _____
		b) Replace Existing Catchbasin/Ditch Inlet Frame & Grate				
		i. Cast Iron Square Frame w/Dished Herring Bone Openings (OPSD 400.01)	1	each	\$ _____	\$ _____
		c) Existing Maintenance Hole/Valve Chamber Frame & Cover				
		i. < 300mm	8	each	\$ _____	\$ _____
		ii. 300mm - 450mm	1	each	\$ _____	\$ _____
		d) Replace Existing Maintenance Hole/Valve Chamber Frame & Cover				
		i. Cast Iron Square Frame w/ Circular Cover (OPSD 401.01)	1	each	\$ _____	\$ _____
		e) Existing Valve/Curb Boxes	7	each	\$ _____	\$ _____
<b>B14</b>	SPCS	<b>Supply &amp; Place Hot Mix Asphalt</b>				
		a) Roadways				
		i. a) HL3 HS Surface Course - (Thickness 60mm)	1000	t	\$ _____	\$ _____
		b) HL3 HS Surface Course - (Thickness 60mm) - Paved Shoulder including driveway aprons (Hand Work) - V profile	140	t	\$ _____	\$ _____
		iii. HL8 HS Base Course (base repairs - incld centreline/longitudinal and transverse base repairs - 0.5m width )	260	t	\$ _____	\$ _____
		c) Commercial/Industrial Driveways				
		i. HL3F Surface Course - 40mm Thickness	10	t	\$ _____	\$ _____
		ii. HL8 MDBC Base Course - 50mm Thickness	10	t	\$ _____	\$ _____

**SCHEDULE OF QUANTITIES AND UNIT PRICES**

**CONTRACT NO. 2021-13**  
**2021 ROAD RESURFACING PROGRAM**

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
B15	SPCS	<b>Asphalt Walkways, Driveways &amp; Paved Shoulder</b> <i>For Preparation, Compaction &amp; Handwork</i>				
		a) Residential Driveway & Paved Shoulder	770	m <sup>2</sup>	\$ _____	\$ _____
		b) Commercial/Industrial Driveway	20	m <sup>2</sup>	\$ _____	\$ _____
B16	B16	<b>Concrete Pavement and Driveways</b> <i>Includes 32MPa Concrete, Preparation &amp; Handwork</i>				
		a) Residential Driveway	20	m <sup>2</sup>	\$ _____	\$ _____
B17	B17	<b>Adjust Paving Stone Driveway</b> <i>On 300mm Granular 'A' &amp; 50mm Limestone Screening Base</i> <i>Includes Preparation, Handwork and Limestone Screenings</i>				
		a) Interlocking Paving Stone Driveway	5	m <sup>2</sup>	\$ _____	\$ _____
		e) Additional Interlock Paving Stones ( <i>to be supplied as required</i> )	5	m <sup>2</sup>	\$ _____	\$ _____
B18	B18	<b>Granular Driveways</b> <i>For Preparation, handwork</i>				
		a) Granular 'A' i. Residential Driveway - 200mm Depth	20	m <sup>2</sup>	\$ _____	\$ _____
B21	B21	<b>Topsoil and Sod</b> <i>Includes any grading necessary to provide positive drainage, excavation and disposal of unsuitable materials</i>				
		a) 100mm Topsoil & Sod	50	m <sup>2</sup>	\$ _____	\$ _____
B30	SPCS	<b>Base Repairs - General (Granular)</b>	305	m <sup>2</sup>	\$ _____	\$ _____
B38	SPCS	<b>Line Painting</b> <i>Organic Solvent-Based Traffic Paint with Reflectorized Glass Beads</i>				
		a) Directional Dividing Line				
		i. Solid Yellow - 10cm Wide	720	m	\$ _____	\$ _____
		ii. Solid White - 10cm Wide	1400	m	\$ _____	\$ _____
		d) Stopbars - Solid White - 60cm Wide	20	m	\$ _____	\$ _____
		e) Crosswalks - Solid White - 20cm Wide; 250-300cm Gap	10	m	\$ _____	\$ _____
		f) Symbols - White - Size per OTM Manual Book 11	1	each	\$ _____	\$ _____
g) Black Out Existing Markings	10	m	\$ _____	\$ _____		

**TOTAL SECTION 'B3' - ROADS (Sinnicks Ave) \$ \_\_\_\_\_**

**SCHEDULE OF QUANTITIES AND UNIT PRICES**

**CONTRACT NO. 2021-13**  
**2021 ROAD RESURFACING PROGRAM**

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
<b>SECTION 'B4' - ROADS (Kalar Rd)</b>						
<b>B2</b>	SPCS	<b>Excavation</b> <i>Includes sawcutting and disposal of surplus or unsuitable excavated materials</i>				
		b) Asphalt Material - any thickness	50	m <sup>2</sup>	\$ _____	\$ _____
		c) Concrete Driveways and Sidewalks (any thickness)	10	m <sup>2</sup>	\$ _____	\$ _____
		d) Curb and/or Curb & Gutter (any type)	10	m	\$ _____	\$ _____
		f) Shoulder Preparation - 100mm thick - <b>2m wide</b>	4000	m <sup>2</sup>	\$ _____	\$ _____
<b>B3</b>	SPCS	<b>Granular Material</b>				
		a) Granular 'A'				
		i. Roads (Various purposes)	50	t	\$ _____	\$ _____
		ii. Shoulder Restoration 50mm thick	530	t	\$ _____	\$ _____
		c) Granular 'M'				
		i. Shoulder Restoration 50mm thick	530	t	\$ _____	\$ _____
<b>B8</b>	SPCS	<b>Concrete Curb and Gutter</b>				
		a) Barrier Curb w/ Standard Gutter - Tangent (OPSD 600.040)	10	m	\$ _____	\$ _____
		d) Barrier Curb (OPSD 600.110)	10	m	\$ _____	\$ _____
		g) Private Curb - Any Type (to match existing)	5	m	\$ _____	\$ _____
<b>B11</b>	SPCS	<b>Asphalt Milling</b>				
		a) < 75mm Depth (incl. tapers at limits and butt joints and remove ramping)	100	m <sup>2</sup>	\$ _____	\$ _____
		b) Full depth milling for base repairs	1080	m <sup>2</sup>	\$ _____	\$ _____
		c) 50mm Depth	7200	m <sup>2</sup>	\$ _____	\$ _____
<b>B12</b>	B12	<b>Supply and Application of Tack Coat</b>	7200	m <sup>2</sup>	\$ _____	\$ _____
<b>B13</b>	SPCS	<b>Adjustment of Appurtenances</b>				
		a) Existing Catchbasin/Ditch Inlet Frame & Grate				
		i. < 300mm	1	each	\$ _____	\$ _____
		b) Replace Existing Catchbasin/Ditch Inlet Frame & Grate				
		i. Cast Iron Square Frame w/Dished Herring Bone Openings (OPSD 400.01)	1	each	\$ _____	\$ _____
		c) Existing Maintenance Hole/Valve Chamber Frame & Cover				
		i. < 300mm	7	each	\$ _____	\$ _____
		ii. 300mm - 450mm	1	each	\$ _____	\$ _____
		d) Replace Existing Maintenance Hole/Valve Chamber Frame & Cover				
		i. Cast Iron Square Frame w/ Circular Cover (OPSD 401.01)	1	each	\$ _____	\$ _____
		e) Existing Valve/Curb Boxes	1	each	\$ _____	\$ _____
<b>B14</b>	SPCS	<b>Supply &amp; Place Hot Mix Asphalt</b>				
		a) Roadways				
		i. HL3 HS Surface Course - (Thickness 60mm)	1150	t	\$ _____	\$ _____
		iii. HL8 HS Base Course (base repairs - incld centreline/longitudinal and transverse base repairs - 0.5m width )	290	t	\$ _____	\$ _____
		b) Residential Driveways				
		i. HL3F - 50mm Thickness	10	t	\$ _____	\$ _____
<b>B15</b>	SPCS	<b>Asphalt Walkways and Driveways</b> <i>For Preparation, Compaction &amp; Handwork</i>				
		a) Residential Driveway	10	m <sup>2</sup>	\$ _____	\$ _____
<b>B16</b>	B16	<b>Concrete Pavement and Driveways</b> <i>Includes 32MPa Concrete, Preparation &amp; Handwork</i>				
		a) Residential Driveway	10	m <sup>2</sup>	\$ _____	\$ _____

**SCHEDULE OF QUANTITIES AND UNIT PRICES**

**CONTRACT NO. 2021-13**  
**2021 ROAD RESURFACING PROGRAM**

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
<b>B18</b>	B18	<b>Granular Driveways</b> <i>For Preparation, handwork</i> a) Granular 'A' i. Residential Driveway - 200mm Depth	100	m <sup>2</sup>	\$ _____	\$ _____
<b>B21</b>	B21	<b>Topsoil and Sod</b> <i>Includes any grading necessary to provide positive drainage, excavation and disposal of unsuitable materials</i> a) 100mm Topsoil & Sod	50	m <sup>2</sup>	\$ _____	\$ _____
<b>B22</b>	B22	<b>Topsoil, Seed and Mulch</b> <i>Includes any grading necessary to provide positive drainage</i> a) 100mm Topsoil w/ Seed & Mulch	50	m <sup>2</sup>	\$ _____	\$ _____
<b>B30</b>	SPCS	<b>Base Repairs - General (Granular)</b>	360	m <sup>2</sup>	\$ _____	\$ _____
<b>B38</b>	SPCS	<b>Line Painting</b> <i>Organic Solvent-Based Traffic Paint with Reflectorized Glass Beads</i> a) Directional Dividing Line i. Solid Yellow - 10cm Wide f) Symbols - White - Size per OTM Manual Book 11 g) Black Out Existing Markings	950	m	\$ _____	\$ _____
			1	each	\$ _____	\$ _____
			10	m	\$ _____	\$ _____

**TOTAL SECTION 'B4' - ROADS (Kalar Rd) \$ \_\_\_\_\_**

**SCHEDULE OF QUANTITIES AND UNIT PRICES**

**CONTRACT NO. 2021-13**  
**2021 ROAD RESURFACING PROGRAM**

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
<b>SECTION 'P' - PROVISIONAL ITEMS</b>						
<b>B1</b>	B1	<b>Test Pits</b>				
		a) Depth up to 0.5m	1	each	\$ _____	\$ _____
		b) Depth up to 1.0m	1	each	\$ _____	\$ _____
		e) Via Hydro Vac. <i>(Any Depth)</i>	1	Hour	\$ _____	\$ _____
<b>B6</b>	B6	<b>Subdrain</b>				
		Perforated HDPE Pipe c/w Filter Cloth <i>(Includes 'Coring of' and 'Connection to' existing structures, where required)</i>				
		a) 100mm Dia.	6	m	\$ _____	\$ _____
		b) 150mm Dia.	6	m	\$ _____	\$ _____
<b>B10</b>	B10	<b>Sawcutting</b>	50	m	\$ _____	\$ _____
<b>B19</b>	B19	<b>Regrading of Ditches and Swales</b>				
		<i>Includes removal and disposal of excess/unsuitable excavated materials</i>				
		a) Existing	20	m	\$ _____	\$ _____
<b>B23</b>	SPCS	<b>Supply and Apply Calcium Chloride</b>	5	t	\$ _____	\$ _____
<b>B24</b>	SPCS	<b>Application of Water for Dust Control</b>	25	m <sup>3</sup>	\$ _____	\$ _____
<b>B39</b>	SPCS	<b>Surveying of existing and proposed grades</b>	6	Hour	\$ _____	\$ _____
<b>B41</b>	SPCS	<b>Timber Retaining Walls and Curbs</b>	5	m	\$ _____	\$ _____
<b>P1</b>	SPCS	<b>32 MPa Concrete</b>	5	m <sup>3</sup>	\$ _____	\$ _____
<b>P2</b>	SPCS	<b>Remobilization to site after crew has permanently left work area</b>	1	each	\$ _____	\$ _____
<b>P4</b>	SPCS	<b>Unshrinkable Fill</b>	5	m <sup>3</sup>	\$ _____	\$ _____
<b>P5</b>	SPCS	<b>19 mm Clear Stone</b>	5	t	\$ _____	\$ _____
<b>P6</b>	SPCS	<b>Curb Boxes - repair all types</b>	3	each	\$ _____	\$ _____

**TOTAL SECTION 'P' - PROVISIONAL \$** \_\_\_\_\_

**TENDER SUMMARY**

SECTION 'A' - GENERAL	\$
SECTION 'B1' - ROADS (Morrison St – Dorchester Rd to Drummond Rd)	\$
SECTION 'B2' - ROADS (Drummond Rd to Portage Rd)	\$
SECTION 'B3' – ROADS (Sinnicks Ave)	\$
SECTION 'B4' – ROADS (Kalar Rd)	\$
SECTION 'P' - PROVISIONAL ITEMS	\$
<b>TOTAL TENDER:</b>	<b>\$</b>



**STATEMENT 'A'**

**TENDERER'S EXPERIENCE IN SIMILAR WORK**

***UNLESS THIS LIST IS PROPERLY COMPLETED,  
THE TENDER MAY BE DISQUALIFIED***

<b>Year Completed</b>	<b>Description of Work</b>	<b>For Whom Work Performed</b>	<b>Value (\$)</b>

**STATEMENT 'B'**

**HARMONIZED SALES TAX**

The Contractor shall **not** include any amount in his tender price for the Harmonized Sales Tax (H.S.T.). Any amount to be levied with respect to the H.S.T. will be included as a separate item on the payment certificate. The appropriate H.S.T. levy will be paid to the Contractor in addition to the amount approved by the Contract Administrator for work performed under the contract and will, therefore, not affect the amount of the contract. The Contractor will be required to make the appropriate remittance to Revenue Canada in accordance with the legislation.

- i) Total Tender Price \$ \_\_\_\_\_
- ii) Estimated Cost of the Harmonized Sales Tax (H.S.T.) \$ \_\_\_\_\_
- iii) Total Contract Amount [(i) + (ii)] \$ \_\_\_\_\_
- iv) H.S.T. Registration Number: \_\_\_\_\_

\_\_\_\_\_  
Company Name

\_\_\_\_\_  
Contractor's Signature

\_\_\_\_\_  
Address

\_\_\_\_\_  
Contractor's Seal

\_\_\_\_\_  
Witness

\_\_\_\_\_  
Witness

**STATEMENT 'C'**

**CONFIRMATION FORM**  
**ACCESSIBILITY REGULATIONS FOR CONTRACTED SERVICES**

If the nature of your business with the City of Niagara Falls (the 'City') requires that any of your employees, sub-contractors or trades interact with the public on behalf of the Owner, it is necessary that the Owner ensure those providing service on our behalf have received 'Customer Service Training' in order that we retain our compliance with the requirements of the Accessibility for Ontarians with Disabilities Act 2005.

Please sign below to ensure you are the person able to bind your company. Companies, whose employee's role may require them to interact with the public on behalf of the Owner, shall receive the CUSTOMER SERVICE STANDARD TRAINING of the *ACCESSIBILITY FOR ONTARIANS WITH DISABILITIES ACT 2005*.

If you have any questions, please contact:

**Jason MacLean, M.Ed., B.A., CSEP-CEP**  
Human Resources Specialist  
City of Niagara Falls  
Human Resources Department  
Phone: 905-356-7521 ext. 4294

The successful Contractor will be required to sign and submit this sheet at the Preconstruction Review Meeting (see SPGS 30).

Dated this day of, \_\_\_\_\_, 2021.

\_\_\_\_\_  
Contracting Company

\_\_\_\_\_  
Signature of Authorized Person Signing for Company

\_\_\_\_\_  
Position

**STATEMENT 'D'**

**LIST OF SUB-CONTRACTORS**

The bidders shall list hereunder the names of all sub-contractors intended to be used in the execution of this work subject to the approval of the Contract Administrator.

All work not performed directly by the Contractor's forces shall be included in this list and any changes must be approved by the Contract Administrator.

Sub-Trade	Sub-Contractor Company Name	Sub-Contractor Company Address