

FORM OF TENDER

FORM OF TENDER

I N D E X

	DESCRIPTION	PAGE
1.	FORM OF TENDER	1
2.	SCHEDULE OF QUANTITIES & UNIT PRICES	4
3.	TENDER SUMMARY	7
4.	TENDERER'S EXPERIENCE IN SIMILAR WORK.....	8
5.	HARMONIZED SALES TAX	9
6.	CONFIRMATION FORM	10
7.	LIST OF SUB-CONTRACTORS	11

FORM OF TENDER

We, the undersigned Contractor(s) have carefully examined the attached documents as herein listed and forming part of this tender

DOCUMENTS INCLUDED IN CONTRACT:

Special Instructions to Bidders
Instructions to Bidders
Form of Tender
Agreement to Bond
Form of Contract Agreement
Schedule of Drawings & Specifications
Special Provisions – General Supplementary
Special Provisions – Contract Items Supplementary
General Conditions of Contract Supplementary
Construction Drawings (as noted)
Addenda (if applicable)

and have carefully examined the site and location of the work to be done under this contract. We, the undersigned Contractor(s), understand and accept the said drawings and contract documents, and, for the prices set forth in this Tender, hereby offer to furnish all machinery, labour, tools, apparatus and other means of construction, furnish all materials except as otherwise specified in the Contract, and to complete the work in strict accordance with the drawings and contract documents referred to above, for the total tender price of:

_____ Dollars.

(\$ _____) *excluding H.S.T.*

We acknowledge that we have received Addendum/Addenda No. _____* to _____* inclusive, and that all changes specified in the Addendum/Addenda have been included in the prices submitted.

We agree to commence work as specified to proceed continuously to the completion and to complete all the work at the unit prices tendered within **thirty-five (35) working days**.

We agree that this tender is to continue open to acceptance and irrevocable until the formal contract has been executed by the successful Tendered for the said work, and the bond or bonds as specified have been executed by the approved surety or sureties, and that the Owner may, at any time, within **forty five (45) calendar days** of closing date, accept this tender without notice, whether any tender has been previously accepted or not.

** to be filled in by Tenderer.*

**OFFERED ON BEHALF OF
THE CONTRACTOR**

Signature

Signature

Company Name

Address

Witness

Date

ADDENDA

**COMMENCEMENT
& COMPLETION**

**TENDER IS OPEN
TO ACCEPTANCE
& IRREVOCABLE**

Insert Workplace Safety &
Insurance Board Account
No. _____

Contractor's Seal

Witness

NOTE:

- a) If the Tendered is a Corporation, the Corporate seal must be affixed under the signature of a duly authorized officer or officers of the Corporation.
- b) If the Tendered is not a Corporation or a Partnership, the Tendered must sign in the presence of a witness who must also sign.
- c) If the Tendered is a Partnership, each member of the Partnership must sign in the presence of a witness who must also sign.

All Bidders are to note that the Special Provisions - Contract Items Supplementary are regularly revised and in some cases modified to a specific project. The City will not be responsible for any Bidder not being aware of the changes from previous tender documents.

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2022-507-20

Fern Park Trail and Corwin Park Trail Development

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
SECTION 'A' - GENERAL						
A1	A1	Bonding	1	L.S.		
A4	A4	Construction Layout a) Survey Layout	1	L.S.		
A5	A5	Clearing and Grubbing a) Remove existing trees (≤ 300mm dia. including stumps) b) Remove Existing Stumps (Provisional)	2 1	each each		
A7	SPCS	Install, Maintain and Remove Silt Control Devices a) Catchbasin Silt Bags (Siltsack) b) Light Duty Silt Fence Barrier, OPSD 219.110 c) Straw Bale Check Dam	3 550 9	each m each		
A8	SPCS	Construction Signs, Traffic Control and Traffic Management Plan	1	L.S.		
A9	A9	Contingency Allowance	1	L.S.	\$ 50,000.00	\$ 50,000.00
A10	SPCS	Excess Soil Tracking (SoilFlo) (Provisional)	2	Month	\$ 500.00	\$ 1,000.00
A11	SPCS	Excess Soil Tracking (Contractor) (Provisional)	1	L.S.		
TOTAL SECTION 'A' - GENERAL						
SECTION 'B' - TRAILS						
FERN PARK TRAIL						
B2	SPCS, B2, B21, B27	Earthworks For Path Construction a) Earth Excavation as per the Typical Trail Cross Section and the elevations shown on the plans including removal of all the topsoil (±150mm) below the granular base. The existing grass turf and non topsoil earth shall be seperated and placed in the 2 designated areas (see SPCS B2) for permanent spreading. b) Earth Fill - Topsoil excavated above shall be used to form the path sideslopes or spread on disturbed areas prior to seeding and mulching. Excess topsoil shall be spread in the 2 designated areas (see SPCS B2) for permanent spreading. c) Disposal off site of grass turf, topsoil or earth from on-site stock pile (Provisional)	500 500 20	m ³ m ³ m ³		
B3	B3	Granular Material a) Granular 'A' i. Pathways - Minimum 250mm depth ii. Culverts	1,200 25	t t		
B6	B6	Subdrain (Provisional) Perforated HDPE Pipe c/w Filter Cloth (Includes 'Coring of' and 'Connection to' existing structures, where required) a) 150mm Dia. (Relay subdrain in existing ditch to be regraded)	30	m		
B7	B7	Installation of New Culvert a) High Density Polyethylene (HDPE) BOSS 2000 (or approved equal) - 210kPa i. 250 mm Dia.	48	m		

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2022-507-20

Fern Park Trail and Corwin Park Trail Development

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
B14	SPCS	Supply & Place Hot Mix Asphalt a) Pathways i. HL3F - 50mm Thickness	175	t		
B15	SPCS	Asphalt Walkways and Driveways <i>For Preparation & Handwork</i> a) Pathways b) Terrafix 270-R Geotextile (on compacted subgrade) c) Tensar BX1200 Geogrid (on geotextile)	1215 1458 1458	m ² m ² m ²		
B19	B19	Regrading of Ditches and Swales <i>Includes removal and disposal of excess/unsuitable excavated materials</i> a) Existing b) New	28.5 1248	m m		
B22	SPCS, B22	Topsoil, Seed and Mulch <i>Includes any grading necessary to provide positive drainage</i> a) 100mm Topsoil, Seed and Mulch (imported topsoil) b) Seed and Mulch Only (on native topsoil from stock piling area) c) 100mm Topsoil and Sod	3000 5300 40	m ² m ² m ²		
B37	SPCS, B27	Remove, Store and Reinstall a) Black chain-link fence	10	m		
B38	SPCS	Construction Fencing a) Temporary steel construction fence, 1.8m high (Modu-Loc or equivalent)	135	m		
C2.2	SPCS	Sewer Laterals/Leads a) Leads - PVC DR35 i. 200mm Dia. i. 250mm Dia.	12 5.5	m m		
B3.2	B3	Sewer Bedding, Cover and Backfill - Storm a) Granular 'A'	70	t		
C6.2	SPCS	Precast Concrete Maintenance Holes, Catchbasins and Ditch Inlets B. Precast Concrete Catchbasins <i>Includes Frame & Grates (OPSD 400.020)</i> <i>Rim Elevations as Noted on Contract Drawings</i> a) 600x600mm Single - OPSD 705.010	3	each		
C10.2	SPCS	Sewer and/or Structure Connections <i>Any Material Type/Depth/Diameter/Wall Thickness</i> a) New Sewer to Existing Structure (Incl. CB Coring & Kor'n Seal Adaptor to Accommodate New Pipe)	2	each		

TOTAL SECTION FERN PARK TRAIL

CORWIN PARK TRAIL

B2	SPCS, B2, B21, B27	Earthworks a) Earth Excavation as per the Typical Trail Cross Section and the elevations shown on the plans including removal of all the topsoil (±225mm) below the granular base. The existing grass turf and non topsoil earth shall be seperated and placed in the bottom of the fill areas. b) Earth Fill - Topsoil excavated above shall be used to form the path sideslopes or spread on disturbed areas prior to seeding and mulching. The existing grass turf and non topsoil earth shall be seperated and placed in the bottom of the fill areas. c) Disposal off site of topsoil or grass turf from on-site stock pile (Provisional)	65 65 20	m ³ m ³ m ³		
----	--------------------	---	----------------	--	--	--

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2022-507-20

Fern Park Trail and Corwin Park Trail Development

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
B3	B3	Granular Material a) Granular 'A' i. Pathways - Minimum 250mm depth	235	t		
B14	SPCS	Supply & Place Hot Mix Asphalt a) Pathways i. HL3F - 50mm Thickness	30	t		
B15	SPCS	Asphalt Walkways and Driveways <i>For Preparation & Handwork</i> a) Pathways (for preparation and handwork)	192	m ²		
B22	SPCS, B22	Topsoil, Seed and Mulch <i>Includes any grading necessary to provide positive drainage</i> a) 100mm Topsoil, Seed and Mulch (Provisional) b) Seed and Mulch Only (on native topsoil spread from stock piling area)	500 550	m ² m ²		
B27	B27	Removal of Existing Items a) Chain-link fence	81.3	m		
B38	SPCS	Construction Fencing a) Temporary steel construction fence, 1.8m high (Modu-Loc or equivalent)	43	m		
TOTAL SECTION CORWIN PARK TRAIL						
TOTAL SECTION 'B' - TRAILS						
SECTION 'P' - PROVISIONAL ITEMS						
B1	B1	Test Pits a) Depth up to 0.5m b) Depth up to 1.0m c) Depth up to 2.0m d) Depth up to 4.0m e) Via Hydro Vac. (<i>Any Depth</i>)	1 1 1 1 8	each each each each Hour		
B10	B10	Sawcutting Pavement <i>As required but not otherwise noted</i> a) Asphalt (any thickness) b) Concrete (any thickness)	10 10	m m		
B24	SPCS	Application of Water for Dust Control	200	m ³		
B25	B25	Cold Mix, Open Graded Bituminous Pavement	20	t		
P4	SPCS	Unshrinkable Fill	5	m ³		
P5	SPCS	19 mm Clear Stone	20	t		
P7	SPCS	Trench or Road Sub-Excavation	20	m ³		
TOTAL SECTION 'P' - PROVISIONAL						

TENDER SUMMARY

SECTION 'A' - GENERAL	\$
SECTION 'B' - TRAILS	\$
SECTION 'P' - PROVISIONAL ITEMS	\$
TOTAL TENDER:	\$

STATEMENT 'A'

TENDERER'S EXPERIENCE IN SIMILAR WORK

***UNLESS THIS LIST IS PROPERLY COMPLETED,
THE TENDER MAY BE DISQUALIFIED***

Year Completed	Description of Work	For Whom Work Performed	Value (\$)

STATEMENT 'B'

HARMONIZED SALES TAX

The Contractor shall **not** include any amount in his tender price for the Harmonized Sales Tax (H.S.T.). Any amount to be levied with respect to the H.S.T. will be included as a separate item on the payment certificate. The appropriate H.S.T. levy will be paid to the Contractor in addition to the amount approved by the Contract Administrator for work performed under the contract and will, therefore, not affect the amount of the contract. The Contractor will be required to make the appropriate remittance to Revenue Canada in accordance with the legislation.

- i) Total Tender Price \$ _____
- ii) Estimated Cost of the Harmonized Sales Tax (H.S.T.) \$ _____
- iii) Total Contract Amount [(i) + (ii)] \$ _____
- iv) H.S.T. Registration Number: _____

Company Name

Contractor's Signature

Address

Contractor's Seal

Witness

Witness

STATEMENT 'C'

CONFIRMATION FORM

ACCESSIBILITY REGULATIONS FOR CONTRACTED SERVICES

If the nature of your business with the City of Niagara Falls (the 'City') requires that any of your employees, sub-contractors or trades interact with the public on behalf of the Owner, it is necessary that the Owner ensure those providing service on our behalf have received 'Customer Service Training' in order that we retain our compliance with the requirements of the Accessibility for Ontarians with Disabilities Act 2005.

Please sign below to ensure you are the person able to bind your company. Companies, whose employee's role may require them to interact with the public on behalf of the Owner, shall receive the CUSTOMER SERVICE STANDARD TRAINING of the *ACCESSIBILITY FOR ONTARIANS WITH DISABILITIES ACT 2005*.

If you have any questions, please contact:

Jason MacLean, M.Ed., B.A., CSEP-CEP
Human Resources Specialist
City of Niagara Falls
Human Resources Department
Phone: 905-356-7521 ext. 4294

The successful Contractor will be required to sign and submit this sheet at the Preconstruction Review Meeting (see SPGS 30).

Dated this day of, _____, 2022.

Contracting Company

Signature of Authorized Person Signing for Company

Position

STATEMENT 'D'

LIST OF SUB-CONTRACTORS

The bidders shall list hereunder the names of all sub-contractors intended to be used in the execution of this work subject to the approval of the Contract Administrator.

All work not performed directly by the Contractor's forces shall be included in this list and any changes must be approved by the Contract Administrator.

Sub-Trade	Sub-Contractor Company Name	Sub-Contractor Company Address