

FORM OF TENDER

FORM OF TENDER

I N D E X

	DESCRIPTION	PAGE
1.	FORM OF TENDER	FT - 1
2.	SCHEDULE OF QUANTITIES & UNIT PRICES	FT - 4
3.	TENDER SUMMARY	FT - 5
4.	TENDERER'S EXPERIENCE IN SIMILAR WORK.....	FT - 6
5.	HARMONIZED SALES TAX	FT - 7
6.	CONFIRMATION FORM	FT - 8
7.	LIST OF SUB-CONTRACTORS	FT - 9

FORM OF TENDER

We, the undersigned Contractor(s) have carefully examined the attached documents as herein listed and forming part of this tender

DOCUMENTS INCLUDED IN CONTRACT:

- Special Instructions to Bidders
- Instructions to Bidders
- Form of Tender
- Agreement to Bond
- Form of Contract Agreement
- Schedule of Drawings & Specifications
- Special Provisions – General Supplementary
- Special Provisions – Contract Items Supplementary
- General Conditions of Contract Supplementary
- Construction Drawings (as noted)
- Addenda (if applicable)

and have carefully examined the site and location of the work to be done under this contract. We, the undersigned Contractor(s), understand and accept the said drawings and contract documents, and, for the prices set forth in this Tender, hereby offer to furnish all machinery, labour, tools, apparatus and other means of construction, furnish all materials except as otherwise specified in the Contract, and to complete the work in strict accordance with the drawings and contract documents referred to above, for the total tender price of:

_____ Dollars.

(\$ _____) *excluding H.S.T.*

We acknowledge that we have received Addendum/Addenda No. _____ * to _____ * inclusive, and that all changes specified in the Addendum/Addenda have been included in the prices submitted.

ADDENDA

We agree to commence work after June 1st, 2023, Cropp St & Pettit Ave can NOT be started until July 3rd, 2023 as specified and work continuously to the completion and to complete all the work at the unit prices tendered within Thirty (30) working days. This contract must be substantially complete by September 30, 2023

COMMENCEMENT & COMPLETION

We agree that this tender is to continue open to acceptance and irrevocable until the formal contract has been executed by the successful Tendered for the said work, and the bond or bonds as specified have been executed by the approved surety or sureties, and that the Owner may, at any time, within **forty five (45) calendar days** of closing date, accept this tender without notice, whether any tender has been previously accepted or not.

TENDER IS OPEN TO ACCEPTANCE & IRREVOCABLE

** to be filled in by Tenderer.*

OFFERED ON BEHALF OF THE CONTRACTOR

Signature

Signature

Signature

Date

Company Name

Insert Workplace Safety & Insurance Board Account No.

Address

Witness

Contractor's Seal

Date

NOTE:

- a) If the Tendered is a Corporation, the Corporate seal must be affixed under the signature of a duly authorized officer or officers of the Corporation.
- b) If the Tendered is not a Corporation or a Partnership, the Tendered must sign in the presence of a witness who must also sign.
- c) If the Tendered is a Partnership, each member of the Partnership must sign in the presence of a witness who must also sign.

All Bidders are to note that the Special Provisions - Contract Items Supplementary are regularly revised and in some cases modified to a specific project. The City will not be responsible for any Bidder not being aware of the changes from previous tender documents.

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2023-03
2023 Asphalt Overlay Phase 1

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
SECTION 'A' - GENERAL						
A1	A1	Bonding	1	L.S.	\$ _____	\$ _____
A8	SPCS	Construction Signs, Traffic Control and Traffic Management Plan	1	L.S.	\$ _____	\$ _____
A9	A9	Contingency Allowance	1	L.S.	\$ 50,000.00	\$ 50,000.00

TOTAL SECTION 'A' - GENERAL \$ _____

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2023-03
2023 Asphalt Overlay Phase 1

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
SECTION 'B1' - ROADS - <u>Kalar Rd, Weinbrenner Rd, Cropp St & Pettitt Ave</u>						
B2	SPCS	Excavation <i>Includes sawcutting and disposal of surplus or unsuitable excavated materials</i>				
		b) Asphalt Material (any thickness)	25	m ²	\$ _____	\$ _____
		c) Concrete Driveways and Sidewalks (any thickness)	10	m ²	\$ _____	\$ _____
		d) Curb and/or Curb & Gutter (any type)	225	m	\$ _____	\$ _____
		e) Interlocking Brick or Concrete Pavers	10	m ²	\$ _____	\$ _____
B3	SPCS	Granular Material				
		a) Granular 'A'				
		i. Roads, Medians	25	t	\$ _____	\$ _____
B8	SPCS	Concrete Curb and Gutter				
		a) Barrier Curb w/ Standard Gutter - Tangent (OPSD 600.040) Including sod repair where required	100	m	\$ _____	\$ _____
		c) Semi Mountable Curb w/ Standard Gutter (OPSD 600.060)	5	m	\$ _____	\$ _____
		d) Barrier Curb (OPSD 600.110)	5	m	\$ _____	\$ _____
		e) Curb Repair and Catchbasin Tangent Sections, DWG, NFS-B03-Any Type Including sod repair where required	225	m	\$ _____	\$ _____
		g) Private Curb - Any Type (to match existing)	5	m	\$ _____	\$ _____
B9	SPCS	Concrete Sidewalks <i>32MPa Concrete</i>				
		a)				
		Standard - 125mm Thickness (OPSD 310.010) Including 125mm granular base	50	m ²	\$ _____	\$ _____
		b) Commercial - 200mm Thickness (OPSD 310.010) Including 125mm granular base	5	m ²	\$ _____	\$ _____
		e) Standard Adjacent to Curb & Gutter - 125mm Thickness (OPSD 310.020) Including 125mm granular base	20	m ²	\$ _____	\$ _____
		g) Private Sidewalk - Any Type (to match existing) Including 125mm granular base	5	m ²	\$ _____	\$ _____
B11	SPCS	Asphalt Milling <i>Includes delivery of millings to City's Service Centre</i>				
		a) < 75mm Depth (incl. tapers at limits and butt joints)	200	m ²	\$ _____	\$ _____
		b) 40mm-to remove high areas as needed	200	m ²	\$ _____	\$ _____
		c) ≤1m Width (to remove ramping)	100	m ²	\$ _____	\$ _____
B12	B12	Supply and Application of Tack Coat	24000	m ²	\$ _____	\$ _____
B13	SPCS	Adjustment of Appurtenances				
		a) Existing Catchbasin/Ditch Inlet Frame & Grate				
		i. < 300mm	75	each	\$ _____	\$ _____
		ii. 300mm - 450mm	1	each	\$ _____	\$ _____
		b) Replace Existing Catchbasin/Ditch Inlet Frame & Grate				
		i. Cast Iron Square Frame w/Dished Herring Bone Openings (OPSD 400.01)	1	each	\$ _____	\$ _____
		ii. Galvanized Steel Honeycomb Grating (OPSD 403.010)	1	each	\$ _____	\$ _____
		c) Existing Maintenance Hole/Valve Chamber Frame & Cover				
		i. < 300mm	22	each	\$ _____	\$ _____
		ii. 300mm - 450mm	1	each	\$ _____	\$ _____
		iii. Self-Leveling Frames & Covers	29	each	\$ _____	\$ _____
		d) Replace Existing Maintenance Hole/Valve Chamber Frame & Cover				
		i. Cast Iron Square Frame w/ Circular Cover (OPSD 401.01)	1	each	\$ _____	\$ _____
		ii. Self-Leveling Frames & Covers (<i>Auto Stable C-50MONT or Equivalent</i>)	1	each	\$ _____	\$ _____
		e) Existing Valve/Curb Boxes	23	each	\$ _____	\$ _____

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2023-03
2023 Asphalt Overlay Phase 1

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
B14	SPCS	Supply & Place Hot Mix Asphalt				
		a) Roadways				
		i. HL3 HS Surface Course - 40mm Thickness (All Streets)	2700	t	\$ _____	\$ _____
		ii. HL8 HS Base Course for all base repairs	80	t	\$ _____	\$ _____
		b) Residential Driveways				
		i. HL3F - 50mm Thickness	15	t	\$ _____	\$ _____
B15	SPCS	Asphalt Walkways and Driveways				
		<i>For Preparation & Handwork</i>				
B16	SPCS	a) Residential Driveway	5	m ²	\$ _____	\$ _____
		b) Commercial/Industrial Driveway	5	m ²	\$ _____	\$ _____
B17	SPCS	Concrete Pavement and Driveways				
		<i>Includes 32MPa Concrete, Preparation & Handwork</i>				
B18	SPCS	a) Residential Driveway	5	m ²	\$ _____	\$ _____
		b) Commercial/Industrial Driveway	5	m ²	\$ _____	\$ _____
B17	SPCS	Adjust Paving Stone Driveway				
		<i>On 300mm Granular 'A' & 50mm Limestone Screening Base</i>				
		<i>Includes Preparation, Handwork and Limestone Screenings</i>				
		a) Interlocking Paving Stone Driveway	5	m ²	\$ _____	\$ _____
B21	SPCS	b) Interlocking Paving Stone Boulevard	5	m ²	\$ _____	\$ _____
		e) Additional Interlock Paving Stones (to be supplied as required)	5	m ²	\$ _____	\$ _____
		Granular Driveways				
B21	SPCS	<i>For Preparation & Handwork</i>				
		a) Granular 'A'				
		i. Residential Driveway - 200mm Depth	5	m ²	\$ _____	\$ _____
B37	SPCS	ii. Commercial Driveway - 300mm Depth	5	m ²	\$ _____	\$ _____
		iii. Industrial Driveway - 375mm Depth	5	m ²	\$ _____	\$ _____
B21	SPCS	Topsoil and Sod				
		<i>Includes any grading necessary to provide positive drainage</i>				
B37	SPCS	a) 100mm Topsoil & Sod	25	m ²	\$ _____	\$ _____
		Line Painting				
B37	SPCS	<i>Organic Solvent-Based Traffic Paint with Reflectorized Glass Beads</i>				
		a) Directional Dividing Line				
		i. Solid Yellow - 10cm Wide	1600	m	\$ _____	\$ _____
		ii. Solid White - 10cm Wide	50	m	\$ _____	\$ _____
		b) Lane Lines				
		i. Broken White - 10cm Wide; 6m Gap	10	m	\$ _____	\$ _____
		c) Continuity Lines - Broken White				
		i. Turning Lane Tapers - 10cm Wide; 3m Length; 3m Gap	15	m	\$ _____	\$ _____
		ii. Bike Lane Tapers - 10cm Wide; 1m Length; 1m Gap	2120	m	\$ _____	\$ _____
		d) Stopbars - Solid White - 60cm Wide	50	m	\$ _____	\$ _____
		e) Crosswalks - Solid White - 20cm Wide; 250-300cm Gap	200	m	\$ _____	\$ _____
		f) Symbols - White - Size per OTM Manual Book 11	10	each	\$ _____	\$ _____
		g) Black Out Existing Markings	5	m	\$ _____	\$ _____

TOTAL SECTION 'B1' - ROADS \$ _____

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2023-03
2023 Asphalt Overlay Phase 1

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
SECTION 'B2' - ROADS - St James Ave & St Peters Ave						
B2	SPCS	Excavation <i>Includes sawcutting and disposal of surplus or unsuitable excavated materials</i>				
		b) Asphalt Material (any thickness)	10	m ²	\$ _____	\$ _____
		c) Concrete Driveways and Sidewalks (any thickness)	10	m ²	\$ _____	\$ _____
		d) Curb and/or Curb & Gutter (any type)	50	m	\$ _____	\$ _____
		e) Interlocking Brick or Concrete Pavers	10	m ²	\$ _____	\$ _____
B3	SPCS	Granular Material a) Granular 'A' i. Roads, Medians	25	t	\$ _____	\$ _____
		B8	SPCS	Concrete Curb and Gutter a) Barrier Curb w/ Standard Gutter - Tangent (OPSD 600.040) Including sod repair where required c) Semi Mountable Curb w/ Standard Gutter (OPSD 600.060) d) Barrier Curb (OPSD 600.110) e) Curb Repair and Catchbasin Tangent Sections, DWG, NFS-B03-Any Type Including sod repair where required g) Private Curb - Any Type (to match existing)	25 p 10 50 5	m m m m m
B9	SPCS	Concrete Sidewalks <i>32MPa Concrete</i>				
		a) Standard - 125mm Thickness (OPSD 310.010) Including 125mm granular base	25	m ²	\$ _____	\$ _____
		b) Commercial - 200mm Thickness (OPSD 310.010) Including 125mm granular base	5	m ²	\$ _____	\$ _____
		e) Standard Adjacent to Curb & Gutter - 125mm Thickness (OPSD 310.020) Including 125mm granular base	50	m ²	\$ _____	\$ _____
		g) Private Sidewalk - Any Type (to match existing) Including 125mm granular base	5	m ²	\$ _____	\$ _____
B11	SPCS	Asphalt Milling <i>Includes delivery of millings to City's Service Centre</i>				
		a) < 75mm Depth (incl. tapers at limits and butt joints)	100	m ²	\$ _____	\$ _____
		b) 40mm-to remove high areas as needed	100	m ²	\$ _____	\$ _____
		c) ≤1m Width (to remove ramping)	50	m ²	\$ _____	\$ _____
B12	B12	Supply and Application of Tack Coat	3700	m ²	\$ _____	\$ _____
B13	SPCS	Adjustment of Appurtenances				
		a) Existing Catchbasin/Ditch Inlet Frame & Gate i. < 300mm	15	each	\$ _____	\$ _____
		ii. 300mm - 450mm	1	each	\$ _____	\$ _____
		b) Replace Existing Catchbasin/Ditch Inlet Frame & Gate i. Cast Iron Square Frame w/Dished Herring Bone Openings (OPSD 400.01)	1	each	\$ _____	\$ _____
		ii. Galvanized Steel Honeycomb Grating (OPSD 403.010)	1	each	\$ _____	\$ _____
		c) Existing Maintenance Hole/Valve Chamber Frame & Cover i. < 300mm	1	each	\$ _____	\$ _____
		ii. 300mm - 450mm	1	each	\$ _____	\$ _____
		iii. Self-Leveling Frames & Covers	11	each	\$ _____	\$ _____
		d) Replace Existing Maintenance Hole/Valve Chamber Frame & Cover i. Cast Iron Square Frame w/ Circular Cover (OPSD 401.01)	1	each	\$ _____	\$ _____
		ii. Self-Leveling Frames & Covers (<i>Auto Stable C-50MONT or Equivalent</i>)	1	each	\$ _____	\$ _____
		e) Existing Valve/Curb Boxes	7	each	\$ _____	\$ _____

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2023-03
2023 Asphalt Overlay Phase 1

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
B14	SPCS	Supply & Place Hot Mix Asphalt				
		a) Roadways				
		i. HL3 HS Surface Course - 40mm Thickness (All Streets)	450	t	\$ _____	\$ _____
		ii. HL8 HS Base Course for all base repairs	20	t	\$ _____	\$ _____
		b) Residential Driveways				
		i. HL3F - 50mm Thickness	10	t	\$ _____	\$ _____
B15	SPCS	Asphalt Walkways and Driveways				
		<i>For Preparation & Handwork</i>				
B16	SPCS	a) Residential Driveway	5	m ²	\$ _____	\$ _____
		b) Commercial/Industrial Driveway	5	m ²	\$ _____	\$ _____
B17	SPCS	Concrete Pavement and Driveways				
		<i>Includes 32MPa Concrete, Preparation & Handwork</i>				
B18	SPCS	a) Residential Driveway	5	m ²	\$ _____	\$ _____
		b) Commercial/Industrial Driveway	5	m ²	\$ _____	\$ _____
B17	SPCS	Adjust Paving Stone Driveway				
		<i>On 300mm Granular 'A' & 50mm Limestone Screening Base</i>				
		<i>Includes Preparation, Handwork and Limestone Screenings</i>				
		a) Interlocking Paving Stone Driveway	5	m ²	\$ _____	\$ _____
B21	SPCS	b) Interlocking Paving Stone Boulevard	5	m ²	\$ _____	\$ _____
		e) Additional Interlock Paving Stones (to be supplied as required)	5	m ²	\$ _____	\$ _____
		Granular Driveways				
B21	SPCS	<i>For Preparation & Handwork</i>				
		a) Granular 'A'				
		i. Residential Driveway - 200mm Depth	5	m ²	\$ _____	\$ _____
B37	SPCS	ii. Commercial Driveway - 300mm Depth	5	m ²	\$ _____	\$ _____
		iii. Industrial Driveway - 375mm Depth	5	m ²	\$ _____	\$ _____
B21	SPCS	Topsoil and Sod				
		<i>Includes any grading necessary to provide positive drainage</i>				
B37	SPCS	a) 100mm Topsoil & Sod	25	m ²	\$ _____	\$ _____
		Line Painting				
B37	SPCS	<i>Organic Solvent-Based Traffic Paint with Reflectorized Glass Beads</i>				
		a) Directional Dividing Line				
		i. Solid Yellow - 10cm Wide	90	m	\$ _____	\$ _____
		ii. Solid White - 10cm Wide	5	m	\$ _____	\$ _____
		b) Lane Lines				
		i. Broken White - 10cm Wide; 6m Gap	5	m	\$ _____	\$ _____
		c) Continuity Lines - Broken White				
		d) Stopbars - Solid White - 60cm Wide	20	m	\$ _____	\$ _____
		e) Crosswalks - Solid White - 20cm Wide; 250-300cm Gap	80	m	\$ _____	\$ _____
		f) Symbols - White - Size per OTM Manual Book 11	1	each	\$ _____	\$ _____
g) Black Out Existing Markings	5	m	\$ _____	\$ _____		

TOTAL SECTION 'B2' - ROADS \$

SCHEDULE OF QUANTITIES AND UNIT PRICES

CONTRACT NO. 2023-03
2023 Asphalt Overlay Phase 1

ITEM NO.	SPEC NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL PRICE
SECTION 'P' - PROVISIONAL ITEMS						
B1	B1	Test Pits				
		a) Depth up to 0.5m	1	each	\$ _____	\$ _____
		b) Depth up to 1.0m	1	each	\$ _____	\$ _____
		c) Depth up to 2.0m	1	each	\$ _____	\$ _____
		e) Via Hydro Vac. (<i>Any Depth</i>)	1	Hour	\$ _____	\$ _____
B6	SPCS	Subdrain				
		<i>Perforated HDPE Pipe c/w Filter Cloth (Includes 'Coring of' and 'Connection to' existing structures, where required)</i>				
		a) 100mm Dia.	6	m	\$ _____	\$ _____
		b) 150mm Dia.	6	m	\$ _____	\$ _____
B10	B10	Sawcutting Pavement				
		<i>As required but not otherwise noted</i>				
		a) Base Repairs	1	m	\$ _____	\$ _____
B30	B30	Base Repairs - General (Local Roads)	200	m ²	\$ _____	\$ _____
B34	B34	Tactile Warning Surfaces				
		a) Straight Plates (610mm x 610mm)	1	each	\$ _____	\$ _____
P1	SPCS	32 MPa Concrete	5	m ³	\$ _____	\$ _____
P2	SPCS	Use of Regional Police for Traffic Control	1	hour	\$ _____	\$ _____
P4	SPCS	Unshrinkable Fill	5	m ³	\$ _____	\$ _____
P5	SPCS	19 mm Clear Stone	5	t	\$ _____	\$ _____
P6	SPCS	Construction of Asphalt Speed Humps	1	each	\$ _____	\$ _____
P10	SPCS	Surveying of existing and proposed grades	1	Hour	\$ _____	\$ _____

TOTAL SECTION 'P' - PROVISIONAL \$ _____

TENDER SUMMARY

SECTION 'A' - GENERAL	\$
SECTION 'B1' - ROADS	\$
SECTION 'B2' - ROADS	\$
SECTION 'P' - PROVISIONAL ITEMS	\$
TOTAL TENDER:	\$

STATEMENT 'A'

TENDERER'S EXPERIENCE IN SIMILAR WORK

***UNLESS THIS LIST IS PROPERLY COMPLETED,
THE TENDER MAY BE DISQUALIFIED***

Year Completed	Description of Work	For Whom Work Performed	Value (\$)

STATEMENT 'B'

HARMONIZED SALES TAX

The Contractor shall **not** include any amount in his tender price for the Harmonized Sales Tax (H.S.T.). Any amount to be levied with respect to the H.S.T. will be included as a separate item on the payment certificate. The appropriate H.S.T. levy will be paid to the Contractor in addition to the amount approved by the Contract Administrator for work performed under the contract and will, therefore, not affect the amount of the contract. The Contractor will be required to make the appropriate remittance to Revenue Canada in accordance with the legislation.

- i) Total Tender Price \$ _____
- ii) Estimated Cost of the Harmonized Sales Tax (H.S.T.) \$ _____
- iii) Total Contract Amount [(i) + (ii)] \$ _____
- iv) H.S.T. Registration Number: _____

Company Name

Contractor's Signature

Address

Contractor's Seal

Witness

Witness

STATEMENT 'C'

CONFIRMATION FORM
ACCESSIBILITY REGULATIONS FOR CONTRACTED SERVICES

If the nature of your business with the City of Niagara Falls (the 'City') requires that any of your employees, sub-contractors or trades interact with the public on behalf of the Owner, it is necessary that the Owner ensure those providing service on our behalf have received 'Customer Service Training' in order that we retain our compliance with the requirements of the Accessibility for Ontarians with Disabilities Act 2005.

Please sign below to ensure you are the person able to bind your company. Companies, whose employee's role may require them to interact with the public on behalf of the Owner, shall receive the CUSTOMER SERVICE STANDARD TRAINING of the *ACCESSIBILITY FOR ONTARIANS WITH DISABILITIES ACT 2005*.

If you have any questions, please contact:

Jason MacLean, M.Ed., B.A., CSEP-CEP
Human Resources Specialist
City of Niagara Falls
Human Resources Department
Phone: 905-356-7521 ext. 4294

The successful Contractor will be required to sign and submit this sheet at the Preconstruction Review Meeting (see SPGS 30).

Dated this day of, _____, 2023.

Contracting Company

Signature of Authorized Person Signing for Company

Position

STATEMENT 'D'

LIST OF SUB-CONTRACTORS

The bidders shall list hereunder the names of all sub-contractors intended to be used in the execution of this work subject to the approval of the Contract Administrator.

All work not performed directly by the Contractor's forces shall be included in this list and any changes must be approved by the Contract Administrator.

Sub-Trade	Sub-Contractor Company Name	Sub-Contractor Company Address